NATIONAL VERSION 002.01

ISSUE DATE - 10/01/1997

IMPLEMENTATION DATE - 03/05/1998

INTRODUCTION

The National Standard Format (NSF) for Electronic Remittance Notices (ERNs) is a "flat-file" data set for sending remittance notices to non-institutional health care providers. The data set is composed of required data elements as well as optional data elements. The data set is a set of record segments, each 320 positions in length. Payments accompanying the NSF ERNs are always credit transactions, meaning funds move from the payor (originator) to the payee (receiver). Note that the NSF ERN is not approved to move through the banking network (Automated Clearing House - ACH) at this time.

In earlier versions of the NSF ERNs, a negative sign placed before an adjustment amount indicated a reduction to payment and a positive sign indicated an increase to payment. However, with the increasing need to be more consistent with the 835 Electronic Remittance Notice, signing of adjustments in records 450, 451, 500 and 700 will now be as follows:

Positive signing of adjustments will reduce payment.

Negative signing of adjustments will increase payment.

Assigned and unassigned claims for each 200-07.0 "Billing" Provider Number should be sorted separately. Use the assignment indicator in 500-24.0 to sort the claims. Assigned claims should be sorted first, followed by unassigned claims.

Assigned claims should be written within a BATCH of 200 thru 800 records with a value of "1" written to 200-19.0. Unassigned claims should be written within a BATCH of 200 thru 800 records with a value of "0" written to 200-19.0.

The sorting and batching of assigned and unassigned claims is required for Medicare Part B claims.

RECORD DESCRIPTIONS

	Page
100 - <u>File Header Record</u> Receiver data	
200 - <u>Batch Header Record</u> Provider data	200.00
400 - <u>Claim Data Record</u> Patient data	400.00
450 - <u>Service Data - 1</u> <u>Record</u> Service Line Detail	450.00
451 - <u>Service Data - 2 Record</u> Service Line Detail	451.00
500 - <u>Claim Trailer</u> <u>Record</u> Claim Totals	500.00
700 - <u>Batch</u> <u>Adjustment</u> <u>Record</u> Adjustment Data	700.00
800 - <u>Batch Trailer Record</u> Batch (Provider) Totals	800.00
900 - <u>File</u> <u>Trailer</u> <u>Record</u> File Totals	900.00

FILE LAYOUT

100 - <u>Fi</u>	<u>le Header Record</u> Receiver
200 - <u>Ba</u>	tch <u>Header Record</u> Provider
400 - <u>Cl</u>	aim Data RecordPatient
	Service Line Number <u>rvice Data - 1 Record</u> 001 <u>rvice Data - 2 Record</u> 001
	rvice Data - 1 Record 002 rvice Data - 2 Record 002
	thru <u>rvice Data - 1 Record</u> nnn <u>rvice Data - 2 Record</u> nnn
	aim Trailer RecordTotals
	tch Adjustment RecordProvider
	tch Trailer RecordTotals
 900 - <u>Fi</u>	<u>le Trailer Record</u> Totals

GENERAL INSTRUCTIONS

GENERAL INSTRUCTIONS

The general instructions define the validation requirements for classes of fields as well as some standard abbreviations that are utilized.

ABBREVIATIONS:

Standard abbreviations used throughout the document:

ABBREVIATION	DESCRIPTION
ACCT ACCTS ACTL ADDR AMT ANES ASSIGN BT CALC CLM COMP CONT CONTAIN CT EFT EMC FT ID IND INS MI N/A NO ORGNL PAT PAY PCT PD PHONE PREV PROV RECVBL RECVR	Account Accounts Actual Address (street address) Amount Anesthesia Assignment Batch Trailer Calculated Claim Complementary Containment Containment Claim Trailer Electronic Fund Transfer Electronic Media Claims File Trailer Identifier OR Identification Indicator Insured Middle Initial Not Applicable OR None Number Original Patient Payment Percent Paid Telephone Previous Provider Receivable Receiver
RECS	Records
RED	Reduction
REQ	Requirement
	page GIR.01

Standard abbreviations (continued)

ABBREVIATION	DESCRIPTION
SUB	ervice ubmitter ervice ymptom ransaction

DATA ELEMENT REQUIREMENT:

REQ codes:

R = required O = optional

C = conditional

VALIDATION REQUIREMENTS:

Some Data Element description pages state:

"See GENERAL INSTRUCTIONS for 'xxxxxxxxxxxxxxx' entry".

Where 'xxxxxxxxxxxx' is one of the following data elements.

ELEMENT	PAGE #
ADDRESS	GIR.03
DATE	GIR.04
IDENTIFICATION NUMBERS	GIR.04
NAME 1 (INDIVIDUAL NAMES)	GIR.05
NAME 2 (COMPANY NAMES)	GIR.05
PATIENT CONTROL NUMBER	GIR.06
TELEPHONE	GIR.07
AMOUNTS page GIR.02	GIR.07

GENERAL INSTRUCTIONS

ADDRESS:

ADDRESS-1 and ADDRESS-2:

- a) ADDRESS-1 may not contain a blank in the first position.
- b) If entered, ADDRESS-2 may not contain a blank in the first position.
- c) Must contain at least one embedded blank.
- e) No other special characters are allowed.

CITY:

- a) First position must not be blank.
- c) No other special characters are allowed.

STATE: Must be a valid code from EXHIBIT 1.

ZIP:

- a) Position 1-3 must be a code from EXHIBIT 1.
 Position 4-5 must be numeric.
 Position 6-9 is optional but must be numeric if entered.
- b) If the STATE code is a foreign country, ZIP is not required.

DATE:

Format: CCYYMMDD

- a) CC (century) must have a value of '19' or '20'. exception: may have a value of '18', 19' or '20' for birth dates.
- b) YY (year) must have a value of '00' through '99'.
- c) MM (month) must have a value of '01' through '12'.
- d) DD (day) must have a value of '01' through '31' dependent on MM.

MM (month) value	DD (day) value
01, 03, 05, 07, 08, 10, 12	01 through 31
04, 06, 09, 11	01 through 30
02	01 through 29 if YY is divisible by 4
02	01 through 28 if YY NOT divisible by 4

IDENTIFICATION NUMBERS:

- a) If entered, first position may not be blank.
- b) May contain: A Z 0 - 9
- c) No embedded blanks are allowed.
- d) Special characters may be used at the discretion of the receiver/payor.

NAME 1 (INDIVIDUAL NAMES):

LAST NAME and FIRST NAME

- a) First position must be A-Z.
- c) No other special characters are allowed.
- d) Titles such as 'Mr.', 'Dr.', 'Jr.' are not allowed.
- e) Last name must be at least two (2) positions in length. First name must be at least one (1) position in length.

MIDDLE INITIAL

a) Must contain A-Z or blank.

NAME 2 (COMPANY NAMES):

- a) First position must be A-Z.
- b) May contain: A-Z

 period (.)

 comma (,)

 hyphen (-)

 ampersand (&)

 blank ()

 0-9
- c) No other special characters are allowed.
- d) Must be at least two (2) positions in length.

PATIENT CONTROL NUMBER:

a) First position must not be blank.

c) No other special characters are allowed.

GENERAL INSTRUCTIONS

TELEPHONE:

a) Format: AAAXXXSSSS

AAA = area code XXX = exchange

SSSS = station number

- b) Must contain 0-9 only.
- c) No special characters or blanks are allowed.
- d) Valid area codes may be found in EXHIBIT 1.

AMOUNTS:

Dollar amount fields in the NSF ERN records must be signed fields, i.e., capable of expressing a positive or a negative value.

FILE HEADER RECORD

RECORD TYPE: 100

VERSION 002.01 - 10/01/1997

ELECTRONIC REMITTANCE NOTICES NATIONAL STANDARD FORMAT

RECORD NAME: FILE HEADER RECORD RECORD TYPE: 100

LEVEL: FILE

The first record of any file transmitted PURPOSE:

electronically, it contains information pertinent

to the receiver of the remittance file.

REQUIREMENTS: A "100" record is required for every submission.

Following ORDER: Preceding

Record Type Record Type

NONE 200

NOTES:

RECORD NAME: FILE HEADER RECORD RECORD TYPE: 100
"RECEIVER DATA"

FIELD		FIELD		POSIT	TIONS
NO.	FIELD NAME	LENGTH	TYPE	FROM	THRU
01.0	RECORD ID "100"	3	X	01	03
02.0	PAYOR ID	10	X	04	13
03.0	RECEIVER ID	16	X	14	29
04.0	RESERVED (100-04.0)	9	X	30	38
05.0	SUBMITTER ID	16	X	39	54
06.0	RESERVED (100-06.0)	6	X	55	60
07.0	SUBMITTER NAME	33	X	61	93
08.0	FILE CREATION DATE	8	X	94	101
09.0	VERSION CODE-NATIONAL	5	N	102	106
10.0	FILLER-NATIONAL	214	X	107	320

RECORD NAME: FILE HEADER RECORD RECORD/FIELD: 100-01.0

"RECEIVER DATA"

DATA ELEMENT: Record Identifier "100" (RECORD ID "100")

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
01.0	X(03)	LEFT	SPACES	01	03	R

DEFINITION: Field used to identify the "Receiver

Data Record".

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be "100".

RECORD NAME: FILE HEADER RECORD RECORD/FIELD: 100-02.0

"RECEIVER DATA"

DATA ELEMENT: Payor Identification (PAYOR ID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ 02.0 X(10) LEFT SPACES 04 13 R

DEFINITION: A unique number assigned to identify the entity

that generated this file.

CODE VALUES: N/A

VALIDATION: Must be entered.

See GENERAL INSTRUCTIONS for "Identification

Number" entry.

RECORD NAME: FILE HEADER RECORD RECORD/FIELD: 100-03.0

"RECEIVER DATA"

DATA ELEMENT: Receiver Identifier (RECEIVER ID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 03.0 X(16) LEFT SPACES 14 29 R

DEFINITION: Identifies the organization designated to

receive this file.

CODE VALUES: N/A

VALIDATION: Must be entered.

See GENERAL INSTRUCTIONS for "Identification

Number" entry.

RECORD NAME: FILE HEADER RECORD RECORD/FIELD: 100-04.0

"RECEIVER DATA"

DATA ELEMENT: Reserved (100-04.0)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
04.0	X(09)	LEFT	SPACES	30	38	0

DEFINITION: Reserved, unused record space for expansion

of Receiver ID.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE HEADER RECORD RECORD/FIELD: 100-05.0

"RECEIVER DATA"

DATA ELEMENT: Submitter Identification (SUBMITTER ID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 05.0 X(16) LEFT SPACES 39 54 R

DEFINITION: Identifies the organization that created this

remittance advice.

CODE VALUES: N/A

VALIDATION: Must be entered.

See GENERAL INSTRUCTIONS for "Identification

Number" entry.

RECORD NAME: FILE HEADER RECORD RECORD/FIELD: 100-06.0

"RECEIVER DATA"

DATA ELEMENT: Reserved (100-06.0)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
06.0	X(06)	LEFT	SPACES	55	60	0

DEFINITION: Reserved unused record space for expansion

of Submitter ID.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE HEADER RECORD RECORD/FIELD: 100-07.0

"RECEIVER DATA"

DATA ELEMENT: Submitter Name

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
07.0	X(33)	LEFT	SPACES	61	93	С

DEFINITION: The name of the submitter to which the

receiver should direct inquiries regarding

this file.

CODE VALUES: N/A

VALIDATION: Must be entered if required by receiver.

See GENERAL INSTRUCTIONS for "Name 2" entry.

RECORD NAME: FILE HEADER RECORD RECORD/FIELD: 100-08.0

"RECEIVER DATA"

DATA ELEMENT: File Creation Date

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
08.0	X(08)	LEFT	SPACES	94	101	С

DEFINITION: The Gregorian date on which this file was

created.

CODE VALUES: N/A

VALIDATION: Must be entered if required by receiver.

See GENERAL INSTRUCTIONS for "Date" entry.

RECORD NAME: FILE HEADER RECORD RECORD/FIELD: 100-09.0

"RECEIVER DATA"

DATA ELEMENT: Version Code-National

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
09.0	9(03)V99	RIGHT	ZEROS	102	106	R

DEFINITION: A code indicating the specification version being used.

This is restricted to National use.

CODE VALUES: N/A

VALIDATION: Format: 999V99

Must be entered. Must be "00201".

REMARKS: This first three (3) digits BEFORE the implied decimal

will indicate changes in record format or any new or deleted records. It is the VERSION of specifications. The last two (2) digits AFTER the implied decimal will indicate changes in editing. It is the UPDATE NUMBER of

the specifications.

RECORD NAME: FILE HEADER RECORD RECORD/FIELD: 100-10.0

"RECEIVER DATA"

DATA ELEMENT: Filler-National

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
10.0	X(214)	LEFT	SPACES	107	320	R

DEFINITION: Unused record space reserved for National use.

CODE VALUES: N/A

VALIDATION: N/A

BATCH HEADER RECORD

RECORD TYPE: 200

"PROVIDER DATA"

VERSION 002.01 - 10/01/1997

ELECTRONIC REMITTANCE NOTICES NATIONAL STANDARD FORMAT

RECORD NAME: FILE HEADER RECORD RECORD TYPE: 200

LEVEL: BATCH

PURPOSE: To identify and provide banking information for the

receiver of payment in this batch.

REQUIREMENTS: A "200" record is required for every submission.

ORDER:

Preceding Following
Record Type Record Type

200 or 800 400

NOTES:

RECORD NAME: BATCH HEADER RECORD RECORD TYPE: 200
"PROVIDER DATA"

FIELD		FIELD		POSIT	CIONS
NO.	FIELD NAME	LENGTH	TYPE	FROM	THRU
01.0	RECORD ID "200"	3	X	01	03
02.0	PAYOR ID	10	X	04	13
03.0	SOURCE OF PAYMENT	1	X	14	14
04.0	EMC PROV ID	15	X	15	29
05.0	BATCH NO	4	N	30	33
06.0	PROVIDER NAME	33	X	34	66
07.0	PROVIDER NO	15	X	67	81
08.0	CHECK NO/EFT TRACE NO	15	X	82	96
09.0	CHECK/EFT ISSUE DATE	8	X	97	104
10.0	PAYOR PROCESS DATE	8	X	105	112
11.0	RECVR/PROV BANK ID NO	15	X	113	127
12.0	RECVR/PROV ACCT NO	15	X	128	142
13.0	SENDER/PAYOR BANK ID NO	15	X	143	157
14.0	SENDER/PAYOR ACCT NO	15	X	158	172
15.0	TRANS HANDLING CODE	1	X	173	173
16.0	PAYMENT METHOD CODE	3	X	174	176
17.0	PAYMENT FORMAT CODE	3	X	177	179
18.0	RECVR/PROV TYPE OF ACCT	2	X	180	181
19.0	ASSIGNED/UNASSIGNED INDIC.	ATOR 1	X	182	182
20.0	FILLER-NATIONAL	138	X	183	320

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-01.0

"PROVIDER DATA"

DATA ELEMENT: Record Identifier "200" (RECORD ID "200")

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 01.0 X(03) LEFT SPACES 01 03 R

DEFINITION: Field used to identify the "Provider

Data Record".

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be "200".

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-02.0

"PROVIDER DATA"

DATA ELEMENT: Payor Identification (PAYOR ID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 02.0 X(10) LEFT SPACES 04 13 R

DEFINITION: A unique number assigned to identify the entity

that generated this file.

CODE VALUES: N/A

VALIDATION: Must be entered.

See GENERAL INSTRUCTIONS for "Identification

Number" entry.

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-03.0

"PROVIDER DATA"

DATA ELEMENT: Source of Payment

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
03.0	X(01)	LEFT	SPACES	14	14	R

DEFINITION: A code identifying source of payment for

this group of claims.

CODE VALUES: A = SELF PAY

B = WORKER'S COMPENSATION

C = MEDICARE
D = MEDICAID

E = OTHER FEDERAL PROGRAM

F = COMMERCIAL INSURANCE COMPANY

G = BLUE CROSS / BLUE SHIELD

H = CHAMPUS

I = HMO

J = FEDERAL EMPLOYEE'S PROGRAM (FEP)

K = CENTRAL CERTIFICATION

L = SELF ADMINISTERED M = FAMILY or FRIENDS

Z = OTHER

VALIDATION: Must be entered.

Must be a valid code from the above list.

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-04.0

"PROVIDER DATA"

DATA ELEMENT: EMC Provider Identifier (EMC PROV ID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ

04.0 X(15) LEFT SPACES 15 29 R

DEFINITION: The unique number assigned to the provider by the

payor for EMC identification purposes.

CODE VALUES: N/A

VALIDATION: Must be entered.

See GENERAL INSTRUCTIONS for "Identification

Number" entry.

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-05.0

"PROVIDER DATA"

DATA ELEMENT: Batch Number (BATCH NO)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 05.0 9(04) RIGHT ZEROS 30 33 R

DEFINITION: A sequential number assigned to each batch of

claims by the entity that generated this file.

CODE VALUES: 0001 through 9999.

VALIDATION: Must be entered.

Must be numeric.

First occurrence in a file must be 0001.

Subsequent occurrences within a file must be

incremented by the value of 0001.

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-06.0

"PROVIDER DATA"

DATA ELEMENT: Provider Name

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
06.0	X(33)	LEFT	SPACES	34	66	0

DEFINITION: The name of the provider or organization

receiving this batch of claims for payment.

CODE VALUES: N/A

VALIDATION: If entered,

This field should contain the Organization's (Group's) name as it appears on the Payor's file.

See GENERAL INSTRUCTIONS for "Name 2" entry.

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-07.0

"PROVIDER DATA"

DATA ELEMENT: Provider Number (PROVIDER NO)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
07.0	X(15)	LEFT	SPACES	67	81	R

DEFINITION: The number assigned to the provider by the payor

for identification purposes.

CODE VALUES: N/A

VALIDATION: Must be entered.

This field will contain the provider number as it appears on the payor's provider file.

See GENERAL INSTRUCTIONS for "Identification

Number" entry.

REMARKS: If multi-clinic, provider number would be

same as EMC ID and breaks would be on detail line (450) for each provider ID. This is important in avoiding so many control breaks

when sending remittance notice.

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-08.0

"PROVIDER DATA"

DATA ELEMENT: Check Number / EFT Trace Number

(CHECK NO/EFT TRACE NO)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
08.0	X(15)	$_{ m LEFT}$	SPACES	82	96	R

DEFINITION: The number of the check, EFT trace number or

statement number (payment does not accompany

remittance) issued to the provider for this batch

of claims.

CODE VALUES: N/A

VALIDATION: Must be entered.

If multiple checks are being issued then multiple batches must be generated. If there is no statement voucher number issued on a non-payment paper remittance,

zeros fill this field.

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-09.0

"PROVIDER DATA"

DATA ELEMENT: Check/EFT Issue Date

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
09.0	X(08)	LEFT	SPACES	97	104	R

DEFINITION: The date the check or statement was issued

or, for EFT, the effective entry date.

CODE VALUES: N/A

VALIDATION: Must be entered.

See GENERAL INSTRUCTIONS for "Date" entry.

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-10.0

"PROVIDER DATA"

DATA ELEMENT: Payor Process Date

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
10.0	X(08)	LEFT	SPACES	105	112	С

DEFINITION: The date the payor generated the remittance

advice.

CODE VALUES: N/A

VALIDATION: See General Instructions for "Date" entry.

REMARKS: This date should be transmitted when an

accompanying payment is generated on a

different date than the remittance.

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-11.0

"PROVIDER DATA"

DATA ELEMENT: Receiver/Provider Bank Identification Number

(RECVR/PROV BANK ID NO)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
11.0	X(15)	LEFT	SPACES	113	127	С

DEFINITION: The American Banking Association Identification

Number used to identify the receiving depository financial institution or provider's bank within the Federal Reserve System when an EFT is being sent.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: When sending payment electronically through a

banking network, this number is required.

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-12.0

"PROVIDER DATA"

DATA ELEMENT: Receiver/Provider Account Number

(RECVR/PROV ACCT NO)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
12.0	X(15)	${ t LEFT}$	SPACES	128	142	С

DEFINITION: The receiver's/provider's Bank Account Number

into which these funds have been or will be

deposited at the previously identified

receiving depository financial institution.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: When sending payment electronically through a banking

network, this number is required.

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-13.0

"PROVIDER DATA"

DATA ELEMENT: Sendor/Payor Bank ID No

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
13.0	X(15)	LEFT	SPACES	143	157	С

DEFINITION: The American Banking Association Identification

Number used to identify the sender's/payor's

depository financial institution within the Federal

Reserve System when an EFT is being sent.

CODE VALUES: N/A

VALIDATION: See GENERAL INSTRUCTIONS for "Identification

Number" entry.

REMARKS: When sending payment electronically through a

banking network, this number is required.

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-14.0

"PROVIDER DATA"

DATA ELEMENT: Sender/Payor Account Number

(SENDER/PAYOR ACCT NO)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
14.0	X(15)	LEFT	SPACES	158	172	С

DEFINITION: Sender's/payor's bank account number from which

funds have been or will be sent at

the previously identified originating depository

financial institution.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: When sending payment electronically through a

banking network, this number is required. It is assumed payors will always be paying from a

demand deposit type of account.

VERSION 002.01 - 10/01/1997

ELECTRONIC REMITTANCE NOTICES NATIONAL STANDARD FORMAT

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-15.0

"PROVIDER DATA"

DATA ELEMENT: Transaction Handling Code

(TRANS HANDLING CODE)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
15.0	X(01)	LEFT	SPACES	173	173	M

DEFINITION: This code designates how the payment and

remittance will be transmitted relative to

the banking network.

CODE VALUES: C = Payment Accompanies Remittance

(Payment and remittance detail will be or have been moved together through

the banking network.)

D = Make Payment Only

(Execute funds transfer only, and ignore any remittance detail (remittance is send directly between provider and payor)).

H = Notification Only

(Pass information only. Assume zero payment/prenotification remittance is moving through the banking network.)

I = Remittance Information Only

(The remittance detail is moving separately from the payment through the banking network.)

P = Prenotification of Future Transfers.

(Use code "P" if a bank requires that a prenote be sent prior to actual payment.)

VALIDATION: If entered, must be a valid code from the

above list.

REMARKS: When sending payment electronically through

a banking network, this field is required.

page 200.17

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-16.0

"PROVIDER DATA"

DATA ELEMENT: Payment Method Code

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
16.0	X(03)	LEFT	SPACES	174	176	С

DEFINITION: This code identifies the method for the

movement of payment.

CODE VALUES: ACH = Automated Clearing House

BOP = Financial Institution Option

CHK = Check

NON = Non-Payment Data

VALIDATION: If entered, must be a valid code from the

above list.

REMARKS: When sending payment electronically through

a banking network, this field is required. All funds transfers are limited to U.S.

dollar transactions.

Required for Medicare.

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-17.0

"PROVIDER DATA"

DATA ELEMENT: Payment Format Code

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
17.0	X(03)	LEFT	SPACES	177	179	С

DEFINITION: This code identifies the payment format

in the ACH network.

CODE VALUES: CCD = Cash Concentration/Disbursement

CCP = Cash Concentration Disbursement Plus

Addenda

CTX = Corporate Trade Exchange

VALIDATION: If entered, field 200-16.0 must equal "ACH".

If entered, must be a valid code from the

above list.

REMARKS: When sending payment electronically through

the ACH network, this field is required.

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-18.0

"PROVIDER DATA"

DATA ELEMENT: Receiver/Provider Type of Account

(RECVR/PROV TYPE OF ACCT)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
18.0	X(02)	LEFT	SPACES	180	181	С

DEFINITION: This code indicates the type of bank

account for the account into which payment

is being made.

CODE VALUES: DA = Demand Deposit

SG = Savings

VALIDATION: If entered, must be a valid code from the

above list.

REMARKS: When sending payment electronically through

the ACH network, this field is required.

This field describes the type of bank account for

the entry in field 200-12.0.

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-19.0

"PROVIDER DATA"

DATA ELEMENT: Assigned/Unassigned Claim Indicator

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
19.0	X(1)	LEFT	SPACES	182	182	R

DEFINITION: Code used to sort claims into separate assigned and

unassigned batches within the same remittance advice.

CODE VALUES: 1 = Assigned

0 = Unassigned

VALIDATION: N/A

REMARKS: Required for Medicare.

Use value of '1' if the Batch of 200 thru 800

records contains assigned claims. Use value of '0'

if the Batch of 200 thru 800 records contains unassigned

claims.

VERSION 002.01 - 03/30/1998

ELECTRONIC REMITTANCE NOTICES NATIONAL STANDARD FORMAT

RECORD NAME: BATCH HEADER RECORD RECORD/FIELD: 200-20.0

"PROVIDER DATA"

DATA ELEMENT: Filler-National

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
20.0	X(138)	LEFT	SPACES	183	320	R

DEFINITION: Unused record space reserved for National use.

CODE VALUES: N/A

VALIDATION: N/A

INTENTIONALLY LEFT BLANK SO THAT PRINTING FOR FRONT TO BACK COPIES WILL BE CORRECT FOR REMAINING PAGES

PATIENT CLAIM DATA RECORD

RECORD TYPE: 400

"PATIENT CLAIM DATA"

VERSION 002.01 - 10/01/1997

ELECTRONIC REMITTANCE NOTICES NATIONAL STANDARD FORMAT

RECORD NAME: CLAIM DATA RECORD RECORD TYPE: 400

LEVEL: CLAIM

PURPOSE: To identify patient information and claim-specific

information.

REQUIREMENTS: Only one "400" record is allowed per claim.

ORDER:

Preceding Following
Record Type Record Type

200 or 500 450

NOTES:

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD TYPE: 400
"PATIENT DATA"

FIELD		FIELD		POSIT	TIONS
NO.	FIELD NAME	LENGTH	TYPE	FROM	THRU
01.0	RECORD ID "400"	3	 X	01	03
02.0	PAYOR ID	10	X	04	13
03.0	PAT CONTROL NO	17	X	14	30
04.0	CHECK NO/EFT TRACER	15	X	31	45
05.0	CHECK/EFT ISSUE DATE	8	X	46	53
06.0	GROUP POLICY NO	20	X	54	73
07.0	INSURED ID NO	25	X	74	98
08.0	CORRECTED INS ID IND	1	X	99	99
09.0	INSURED LAST NAME	20	X	100	119
10.0	INSURED FIRST NAME	12	X	120	131
11.0	INSURED MI	1	X	132	132
12.0	EMPLOYEE ID	12	X	133	144
13.0	PATIENT LAST NAME	20	X	145	164
14.0	PATIENT FIRST NAME	12	X	165	176
15.0	PATIENT MI	1	X	177	177
16.0	PATIENT SEX	1	X	178	178
17.0	PATIENT BIRTH DATE	8	X	179	186
18.0	COMP INSURANCE FLAG	1	X	187	187
19.0	CLAIM STATUS	2	X	188	189
20.0	PAYOR PHONE NO	10	X	190	
21.0	MEDICAL RECORD NO	17	X	200	216
22.0	PAYOR CLM CONTROL NO	17	X	217	233
23.0	CLAIM REMARK CODE1	5	X	234	238
24.0	CLAIM REMARK CODE2	5	X	239	243
25.0	CLAIM REMARK CODE3	5	X	244	248
26.0	CLAIM REMARK CODE4	5	X	249	253
27.0	CLAIM REMARK CODE5	5	X	254	258
28.0	CORRECTED PATIENT NAME	1	X	259	259
29.0	FILLER-NATIONAL	61	X	260	320

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-01.0

"PATIENT DATA"

DATA ELEMENT: Record Identifier "400" (RECORD ID "400")

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
01.0	X(03)	LEFT	SPACES	01	03	R

DEFINITION: Field used to identify the "Patient Claim

Data Record".

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be "400".

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-02.0

"PATIENT DATA"

DATA ELEMENT: Payor Identification (PAYOR ID)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
02.0	X(10)	LEFT	SPACES	04	13	R

DEFINITION: A unique number assigned to identify the entity

that generated this file.

CODE VALUES: N/A

VALIDATION: See General Instructions for "Identification

Numbers" entry.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-03.0

"PATIENT DATA"

DATA ELEMENT: Patient Control Number (PAT CONTROL NO)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ

03.0 X(17) LEFT SPACES 14 30 R

DEFINITION: A value assigned by the provider to identify the

patient.

CODE VALUES: N/A

VALIDATION: See General Instructions for "Patient Control

Number" entry.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-04.0

"PATIENT DATA"

DATA ELEMENT: Check Number / EFT Tracer Number

(CHECK NO/EFT TRACER)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
04.0	X(15)	LEFT	SPACES	31	45	R

DEFINITION: The number of the check, EFT tracer number or

statement issued to the provider for this batch of

claims.

CODE VALUES: N/A

VALIDATION: Must be entered.

Must match the value entered in 200-08.0.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-05.0

"PATIENT DATA"

DATA ELEMENT: Check/EFT Issue Date

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
05.0	X(08)	LEFT	SPACES	46	53	R

DEFINITION: The date the check or statement was issued.

CODE VALUES: N/A

VALIDATION: See GENERAL INSTRUCTIONS for "Date" entry.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-06.0

"PATIENT DATA"

DATA ELEMENT: Group Policy Number (GROUP POLICY NO)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
06.0	X(20)	LEFT	SPACES	54	73	С

DEFINITION: Identification number assigned by the payor to

the group plan through which the insurance is

provided.

CODE VALUES: N/A

VALIDATION: See GENERAL INSTRUCTIONS for "Identification

Number" entry.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-07.0

"PATIENT DATA"

DATA ELEMENT: Insured Identification Number (INSURED ID NO)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 07.0 X(25) LEFT SPACES 74 98 C

DEFINITION: Insured's unique identification number assigned

by the payor.

CODE VALUES: N/A

VALIDATION: See GENERAL INSTRUCTIONS for "Identification

Number" entry.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-08.0

"PATIENT DATA"

DATA ELEMENT: Corrected Insured Identification Indicator

(CORRECTED INS ID IND)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
08.0	X(01)	LEFT	SPACES	99	99	С

DEFINITION: An indicator used to identify an Insured's

identification number which was incorrectly

submitted and subsequently changed.

CODE VALUES: C = Identification Number has been corrected.

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-09.0

"PATIENT DATA" 400-10.0

400-11.0

DATA ELEMENT: Insured Last Name

Insured First Name

Insured Middle Initial (INSURED MI)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
09.0	X(20)	LEFT	SPACES	100	119	С
10.0	X(12)	LEFT	SPACES	120	131	С
11.0	X(01)	LEFT	SPACES	132	132	С

DEFINITION: The last and first name of the insured.

CODE VALUES: N/A

VALIDATION: See General Instructions for "Name" entry.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-12.0

"PATIENT DATA"

DATA ELEMENT: Employee Identification (EMPLOYEE ID)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
12.0	X(12)	LEFT	SPACES	133	144	С

DEFINITION: The identification number assigned by

the employer to the employee.

CODE VALUES: N/A

VALIDATION: See General Instructions for "Identification

Number" entry.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-13.0

"PATIENT DATA" 400-14.0

400-15.0

DATA ELEMENT: Patient Last Name

Patient First Name

Patient Middle Initial (PATIENT MI)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
13.0	X(20)	LEFT	SPACES	145	164	R
14.0	X(12)	LEFT	SPACES	165	176	R
15.0	X(01)	LEFT	SPACES	177	177	C

DEFINITION: The name of the individual to whom the

services were provided.

CODE VALUES: N/A

VALIDATION: See GENERAL INSTRUCTIONS for " Name 1" entry.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-16.0

"PATIENT DATA"

DATA ELEMENT: Patient Sex

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
16.0	X(01)	LEFT	SPACES	178	178	R

DEFINITION: Code indicating the sex of the patient.

CODE VALUES: M = Male

F = Female

VALIDATION: Must be entered.

Must be a valid code from the above list.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-17.0

"PATIENT DATA"

DATA ELEMENT: Patient Birth Date

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
17.0	X(08)	LEFT	SPACES	179	186	С

DEFINITION: The date the patient was born.

CODE VALUES: N/A

VALIDATION: See GENERAL INSTRUCTIONS for "Date" entry.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-18.0

"PATIENT DATA"

DATA ELEMENT: Complementary Insurance Flag

(COMP INSURANCE FLAG)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
18.0	X(01)	LEFT	SPACES	187	187	R

DEFINITION: A code which identifies complementary insurance

action.

CODE VALUES: N = Claim not forwarded.

Y = Claim forwarded to complementary insurer.

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-19.0

"PATIENT DATA"

DATA ELEMENT: Claim Status

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
19.0	X(02)	LEFT	SPACES	188	189	С

DEFINITION: This is a code indicating the status of this

claim as determined by the payor.

CODE VALUES: Assigned by the HCFA:

00 - Controlled Only

01 - Reversal, Previous Payment

02 - Returned, Unprocessable

05 - Claim Transferred

06 - Claim Transferred to Region A

07 - Claim Transferred to Region B

08 - Claim Transferred to Region C

09 - Claim Transferred to Region D

10 - In Process

20 - Development

30 - Medical & Utilization Review

40 - Services Review

50 - Reserved for Future Use

60 - Reply Resolution

70 - Complete, Paid

71 - Complete, Paid by Secondary

72 - Complete, Paid By Tertiary

80 - Complete, No Payment

90 - Complete, Rejected

Note - additional codes may be assigned by the payor.

Codes (03 - 04) are reserved by HCFA for Medicare.

VALIDATION: Must be entered if required by receiver.

REMARKS: Required for Medicare. page 400.17

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-20.0

"PATIENT DATA"

DATA ELEMENT: Payor Phone Number (PAYOR PHONE NO)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 20.0 X(10) LEFT SPACES 190 199 C

DEFINITION: The telephone number of the payor.

CODE VALUES: N/A

VALIDATION: See GENERAL INSTRUCTIONS for "Telephone" entry.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-21.0

"PATIENT DATA"

DATA ELEMENT: Medical Record Number (MEDICAL RECORD NO)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
21.0	X(17)	LEFT	SPACES	200	216	С

DEFINITION: A number assigned by the provider to identify

the patient's medical records.

CODE VALUES: N/A

VALIDATION: See GENERAL INSTRUCTIONS for "Identification No."

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-22.0

"PATIENT DATA"

DATA ELEMENT: Payor Claim Control Number (PAYOR CLM CONTROL NO)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
22.0	X(17)	LEFT	SPACES	217	233	R

DEFINITION: A number assigned by the payor to identify a

claim.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-23.0

"PATIENT DATA"

400-24.0 400-25.0

400-26.0 400-27.0

DATA ELEMENT: Claim Remark Code1

Claim Remark Code2 Claim Remark Code3 Claim Remark Code4 Claim Remark Code5

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
23.0	X(5)	LEFT	SPACES	234	238	С
24.0	X(5)	LEFT	SPACES	239	243	С
25.0	X(5)	LEFT	SPACES	244	248	С
26.0	X(5)	LEFT	SPACES	249	253	С
27.0	X(5)	LEFT	SPACES	254	258	С

DEFINITION: Claim level informational message codes to convey

appeal or other claim-specific information that

does not involve a financial adjustment.

CODE VALUES: For Medicare use the current Medicare Inpatient

(MIA) or Medicare Outpatient (MOA) message codes.

VALIDATION: If entered, Medicare requires a valid MIA/MOA code.

REMARKS: MIA/MOA messages are maintained by HCFA.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-28.0

"PATIENT DATA"

DATA ELEMENT: Corrected Patient Name

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
28.0	X(01)	LEFT	SPACES	259	259	С

DEFINITION: An indicator used to identify that the patient's name

was incorrectly submitted and subsequently charged.

CODE VALUES: C = Patient's Name has been corrected.

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 400-29.0

"PATIENT DATA"

DATA ELEMENT: Filler-National

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
29.0	X(61)	LEFT	SPACES	260	320	R

DEFINITION: Unused record space reserved for National use.

CODE VALUES: N/A

VALIDATION: N/A

SERVICE DATA RECORD

RECORD TYPE: 450

"SERVICE DATA - 1"

RECORD NAME: SERVICE DATA - 1 RECORD RECORD TYPE: 450

LEVEL: SERVICE

To provide information related to the payment of PURPOSE:

medical services rendered to the patient by the

provider.

REQUIREMENTS: This record is required for remittance notices.

ORDER: Preceding Following

> Record Type Record Type

400, 450, or 451 400, 450, 451, or 500

NOTES:

RECORD NAME: SERVICE DATA - 1 RE				RECORD TYPE: 450		
	FIELD NAME		TYPE		THRU	
	RECORD ID "450"	3		01		
		10		04		
03.0	PAT CONTROL NO	17		14		
04.0	LINE ITEM CONTROL NO	17	X	31	47	
05.0	SERVICE LINE NO	3	N	48		
	LINE ITEM STATUS CODE			51		
	SERVICE FROM DATE	8	X	53		
	SERVICE TO DATE	8		61		
	PAYOR RECEIPT DATE			69		
		15				
11.0	PLACE OF SERVICE	2	X	92		
12.0		2	X	94	95	
	PROCEDURE CODE	5	X	96	100	
	HCPCS MODIFIER 1	2	X			
	HCPCS MODIFIER 2	2	X			
	HCPCS MODIFIER 3	2				
	UNITS OF SERVICE	4				
	SUBMITTED LINE CHARGE					
	DISALLOWED COST CONT	7	N			
20.0		7	N	125	131	
21.0	ALLOWED/CONTRACT AMT		N	132	138	
	DEDUCTIBLE AMOUNT	7	N			
	COINSURANCE AMOUNT		N			
	INTEREST AMOUNT	7	N			
	GRAMM-RUDMAN RED	7				
	AMT PD BY OTHER PAYOR		N			
	PROV ADJUSTMENT	7	N			
28.0		7	N	181		
	CALC PAY TO PAYEE	7	N	188	194	
30.0	PREV PAY TO PROV	7	N	195		
31.0	PREV PAY TO PAYEE	7	N	202	208	
32.0	ACTUAL PAY TO PROV	7	N	209	215	
33.0	ACTUAL PAY TO PAYEE	7	N	216	222	
34.0	PAYMENT LEVEL BY PCT	5	N	223	227	
35.0	PPO/HMO IND	1	X	228	228	
36.0	FACILITY/SUPPLIER ID	15	X	229	243	
37.0	PERFORMING PROV ID	15	X	244	258	
38.0	GROUP AND REASON CODE 1	6	X	259	264	
39.0	GROUP AND REASON CODE 2	6	X	265	270	
40.0	GROUP AND REASON CODE 3	6	X	271	276	
41.0	GROUP AND REASON CODE 4	6	X	277	282	
42.0	GROUP AND REASON CODE 5	6	X	283	288	
43.0	GROUP AND REASON CODE 6	6	X	289	294	
44.0	GROUP AND REASON CODE 7	6	X	295	300	
45.0	PAYOR CLM CONTROL NO	17	X	301	317	
46.0	HCPCS MODIFIER 4	2	X	318	319	
47.0	FILLER-NATIONAL	1	X	320	320	
• •	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			220	2 _ 0	

page 450.02

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-01.0

"SERVICE DATA - 1"

DATA ELEMENT: Record Identifier "450" (RECORD ID "450")

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
01.0	X(03)	LEFT	SPACES	01	03	R

DEFINITION: Field used to identify the "Service Data -1"

Record".

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be "450".

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-02.0

"SERVICE DATA - 1"

DATA ELEMENT: Payor Identification (PAYOR ID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ 02.0 X(10) LEFT SPACES 04 13 R

DEFINITION: A unique number assigned to identify the entity

that generated this file.

CODE VALUES: N/A

VALIDATION: See General Instructions for "Identification

Number" entry.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-03.0

"SERVICE DATA - 1"

DATA ELEMENT: Patient Control Number (PAT CONTROL NO)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ

03.0 X(17) LEFT SPACES 14 30 R

DEFINITION: A value assigned by the provider to identify the

patient.

CODE VALUES: N/A

VALIDATION: See General Instructions for "Patient Control

Number" entry.

REMARKS: It must be returned on the electronic remittance

to facilitate the provider's posting of line

item adjudication information.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-04.0

"SERVICE DATA - 1"

DATA ELEMENT: Line Item Control Number (LINE CONTROL NO)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 04.0 X(17) LEFT SPACES 31 47 C

DEFINITION: An identifier assigned by the submitter/provider

to this line item.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: If accepted by the payor it should be returned on

the electronic remittance to facilitate the provider's posting of line item adjudication

information.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-05.0

"SERVICE DATA - 1"

DATA ELEMENT: Service Line Number (SERVICE LINE NO)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 05.0 9(03) RIGHT ZEROS 48 50 R

DEFINITION: Identifies the line relative to other lines

in a claim.

CODE VALUES: 001 through 999.

VALIDATION: Must be entered.

Must be numeric.

First occurrence in a claim must be 001.

Subsequent occurrences within a claim must be

incremented by the value of 001.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-06.0

"SERVICE DATA - 1"

DATA ELEMENT: Line Item Status Code

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
06.0	X(02)	LEFT	SPACES	51	52	C

DEFINITION: Line item status code.

CODE VALUES: 01 = Pended

02 = Claim/Line transferred to another payor.

VALIDATION: N/A

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-07.0

"SERVICE DATA - 1" 450-08.0

DATA ELEMENT: Service from Date

Service to Date

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
07.0	X(08)	LEFT	SPACES	53	60	R
08.0	X(08)	LEFT	SPACES	61	68	R

DEFINITION: The date the service was initiated and the date

the service extends through. (CCYYMMDD)

CODE VALUES: N/A

VALIDATION: See General Instructions for "Date" entry.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-09.0

"SERVICE DATA - 1"

DATA ELEMENT: Payor Receipt Date

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
09.0	X(08)	LEFT	SPACES	69	76	С

DEFINITION: The Gregorian date claim was received by payor.

CODE VALUES: N/A

VALIDATION: See GENERAL INSTRUCTIONS for "Date" entry.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-10.0

"SERVICE DATA - 1"

DATA ELEMENT: Reserved (450-10.0)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
10.0	X(15)	LEFT	SPACES	77	91	С

DEFINITION: Unused reserved record space.

CODE VALUES: N/A

VALIDATION: N/A

VERSION 002.01 - 10/01/1997

ELECTRONIC REMITTANCE NOTICES NATIONAL STANDARD FORMAT

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-11.0

"SERVICE DATA - 1"

DATA ELEMENT: Place of Service (PLACE OF SERVICE)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
11.0	X(02)	LEFT	SPACES	92	93	R

DEFINITION: The code that identifies where the service was

performed.

CODE VALUI	ES: 00-10	Unassigned
	11 12 13-19	Office Home Unassigned
	21 22 23 24 25 26 27-29	Inpatient Hospital Outpatient Hospital Emergency Room - Hospital Ambulatory Surgical Center Birthing Center Military Treatment Facility Unassigned
	31 32 33 34 30,35	Skilled Nursing Facility Nursing Facility Custodial Care Facility Hospice 1-39 Unassigned
	41 42 40,43 50 51 52	Ambulance - Land Ambulance - Air or Water -49 Unassigned Federally Qualified Health Center Inpatient Psychiatric Facility Psychiatric Facility Partial Hospitalization
	53 54	Community Mental Health Center Intermediate Care Facility/Mentally Retarded
	55	Residential Substance Abuse Treatment Facility
	56	Psychiatric Residential Treatment Center
	57-59	Unassigned

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-11.0

"SERVICE DATA - 1"

DATA ELEMENT: Place of Service (PLACE OF SERVICE)

(CONTINUED)

61	Comprehensive Inpatient Rehabilitation Facility
62	Comprehensive Outpatient Rehabilitation Facility
65	End Stage Renal Disease Treatment Facility
	Unassigned Unassigned
71 72 70,73-79	State or Local Public Health Clinic Rural Health Clinic Unassigned
81 80,82-89	Independent Laboratory Unassigned
99 90-98	Other Unlisted Facility Unassigned

VALIDATION: Must be entered and a valid code from the above

list.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-12.0

"SERVICE DATA - 1"

DATA ELEMENT: Type of Service Code (TYPE OF SERVICE)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
12.0	X(02)	LEFT	SPACES	94	95	С

DEFINITION: The code that classifies the service.

CODE VALUES: 01 - Medical Care

02 - Surgery

03 - Consultation

04 - Diagnostic X-Ray

05 - Diagnostic Lab

06 - Radiation Therapy

07 - Anesthesia

08 - Surgical Assistance

09 - Other Medical

10 - Blood Charges

11 - Used DME

12 - DME Purchase

13 - ASC Facility

14 - Renal Supplied in the Home

15 - Alternate Method Dialysis Payment

16 - CRD Equipment

17 - Pre-Admission Testing

18 - DME Rental

19 - Pneumonia Vaccine

20 - Second Surgical Opinion

21 - Third Surgical Opinion

VALIDATION: Must be entered.

Must be a valid code from the above list.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-13.0

"SERVICE DATA - 1"

DATA ELEMENT: Procedure Code

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
13.0	X(05)	LEFT	SPACES	96	100	С

DEFINITION: This is the HCPCS(procedure)/CPT-4 code that

describes the service as adjudicated by the payor.

CODE VALUES: HCPCS/CPT-4 code set.

VALIDATION: Must be entered, if required by this payor.

If entered, must be a valid procedure code.

If the National Drug Code (451-15.0) is NOT

entered, this field is required.

REMARKS: This will be the same value as the "Original

Procedure Code" (451-09.0) if the payor did not adjudicate the service under another value that the payor considered to be more appropriate.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-14.0

"SERVICE DATA - 1" 450-15.0

450-16.0

DATA ELEMENT: HCPCS Modifier 1 (MODIFIER 1)

HCPCS Modifier 2 (MODIFIER 2)

HCPCS Modifier 3 (MODIFIER 3)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
14.0	X(02)	LEFT	SPACES	101	102	С
15.0	X(02)	\mathtt{LEFT}	SPACES	103	104	С
16.0	X(02)	$_{ m LEFT}$	SPACES	105	106	С

DEFINITION: These codes identify special circumstances

related to the performance of the service.

CODE VALUES: See current HCPCS Modifier codes.

VALIDATION: N/A

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-17.0

"SERVICE DATA - 1"

DATA ELEMENT: Units of Service

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
17.0	9(03)V9	RIGHT	ZEROS	107	110	С

DEFINITION: The number of services rendered in days or units.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: In order to capture fractional services, use

the fourth position with an assumed decimal

position.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-18.0

"SERVICE DATA - 1"

DATA ELEMENT: Submitted Line Charge

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
18.0	S9(05)V99	RIGHT	ZEROS	111	117	R

DEFINITION: The submitted charges for this service.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Required for Medicare.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-19.0

"SERVICE DATA - 1"

DATA ELEMENT: Disallowed Cost Containment

(DISALLOWED COST CONT)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
19.0	S9(05)V99	RIGHT	ZEROS	118	124	С

DEFINITION: The portion of line charges disallowed by the

payor due to the failure of either the provider

or insured to meet the cost containment

provisions of the insurance contract, managed care contract or PPO contract under which payment has

been requested for this line.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Not required for Medicare.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-20.0

"SERVICE DATA - 1"

DATA ELEMENT: Disallowed/Noncovered

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
20.0	S9(05)V99	RIGHT	ZEROS	125	131	С

DEFINITION: The portion of line charges disallowed by the

payor for reasons OTHER than the failure of the provider or insured to meet the cost containment provisions of the insurance contract, managed care contract or PPO contract under which payment has been requested for this line.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Not Required for Medicare.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-21.0

"SERVICE DATA - 1"

DATA ELEMENT: Allowed/Contract Amount (ALLOWED/CONTRACT AMT)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ ---- 21.0 S9(05)V99 RIGHT ZEROS 132 138 C

DEFINITION: The maximum amount determined by the payor as

being "allowed" under the provisions of the contract prior to the determination of actual

payment, for this line.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Required for Medicare. This is the Medicare allowed

amount.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-22.0

"SERVICE DATA - 1"

DATA ELEMENT: Deductible Amount

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
22.0	S9(05)V99	RIGHT	ZEROS	139	145	С

DEFINITION: This is the amount applied to deductible by this

payor, for this line.

The amount deducted, by the payor, from the allowed amount in order to meet the contract

"deductible" provisions.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: If applicable, required for Medicare.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-23.0

"SERVICE DATA - 1"

DATA ELEMENT: Coinsurance Amount

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
23.0	S9(05)V99	RIGHT	ZEROS	146	152	С

DEFINITION: The amount deducted from this line, by the payor,

from the allowed amount in order to meet the "coinsurance" provisions of the contract.

The amount applied toward the coinsurance by this

payor.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: If applicable, required for Medicare.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-24.0

"SERVICE DATA - 1"

DATA ELEMENT: Interest Amount

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
24.0	S9(05)V99	RIGHT	ZEROS	153	159	С

DEFINITION: The interest applied to this line.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Not required for Medicare.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-25.0

"SERVICE DATA - 1"

DATA ELEMENT: Gramm-Rudman Reduction (GRAMM-RUDMAN RED)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
25.0	S9(05)V99	RIGHT	ZEROS	160	166	С

DEFINITION: The amount applied to Gramm-Rudman reduction,

for this line.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS:

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-26.0

"SERVICE DATA - 1"

DATA ELEMENT: Amount Paid by Other Payor

(AMT PD BY OTHER PAYOR)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
26.0	S9(05)V99	RIGHT	ZEROS	167	173	С

DEFINITION: The amount paid by other payor, for this line.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-27.0

"SERVICE DATA - 1"

DATA ELEMENT: Provider Adjustment (PROV ADJUSTMENT)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 27.0 S9(05)V99 RIGHT ZEROS 174 180 C

DEFINITION: The adjusted amount applied to this line.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Not required for Medicare.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-28.0

"SERVICE DATA - 1"

DATA ELEMENT: Calculated Payment to Provider

(CALC PAY TO PROV)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
28.0	S9(05)V99	RIGHT	ZEROS	181	187	C

DEFINITION: The calculated amount paid for this service.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Required for Medicare.

This is the computed sum of submitted line

charges (450-18.0) less:

Deductible Amount (450-22.0) Coinsurance Amount (450-23.0)

Dollar Amounts 1-5 (line Adjusts.) (451-10 - 451-14)

Dollar Amounts 6-7 (line Adjusts.) (451-22 - 451-23)

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-29.0

"SERVICE DATA - 1"

DATA ELEMENT: Calculated Payment to Payee

(CALC PAY TO PAYEE)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
29.0	S9(05)V99	RIGHT	ZEROS	188	194	C

DEFINITION: The calculated payment to the payee

(other than the Provider) for this line.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Not required for Medicare.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-30.0

"SERVICE DATA - 1"

DATA ELEMENT: Previous Payment to Provider (PREV PAY TO PROV)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 30.0 S9(05)V99 RIGHT ZEROS 195 201 C

DEFINITION: The amount previously paid to provider for this

line item.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Not required for Medicare.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-31.0

"SERVICE DATA - 1"

DATA ELEMENT: Previous Payment to Payee (PREV PAY TO PAYEE)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 31.0 S9(05)V99 RIGHT ZEROS 202 208 R

DEFINITION: The amount previously paid to the payee (other

than the provider) for this service.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Not required for Medicare.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-32.0

"SERVICE DATA - 1"

DATA ELEMENT: Actual Payment to Provider (ACTUAL PAY TO PROV)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ ---- 32.0 S9(05)V99 RIGHT ZEROS 209 215 C

DEFINITION: The actual amount paid to the provider.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Not required for Medicare.

This is the computed sum of the calculated

pay to provider less:

Late Filing Reduction (451-07.0)

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-33.0

"SERVICE DATA - 1"

DATA ELEMENT: Actual Payment to Payee (ACTUAL PAY TO PAYEE)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
33.0	S9(05)V99	RIGHT	ZEROS	216	222	R

DEFINITION: The actual amount paid to the payee, other than

the provider.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: If applicable, required for Medicare.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-34.0

"SERVICE DATA - 1"

DATA ELEMENT: Payment Level By Percent (PAYMENT LEVEL BY PCT)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 34.0 9(4)V9 RIGHT ZEROS 223 227 C

DEFINITION: Payment level (100%, 80%, 62.5%).

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Not required for Medicare.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-35.0

"SERVICE DATA - 1"

DATA ELEMENT: Preferred Provider Organization/Health

Maintenance Organization Indicator

(PPO/HMO IND)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
35.0	X(01)	LEFT	SPACES	228	228	0

DEFINITION: An indicator than the provider has submitted

the claim under a PPO/HMO agreement.

CODE VALUES: See payor's system documentation.

VALIDATION: N/A

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-36.0

"SERVICE DATA - 1"

DATA ELEMENT: Facility/Supplier Identifier

(FACILITY/SUPPLIER ID)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
36.0	X(15)	${ t LEFT}$	SPACES	229	243	С

DEFINITION: The identification number assigned to the

facility or supplier.

CODE VALUES: N/A

VALIDATION: See General Instructions for "Identification

Number" entry.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-37.0

"SERVICE DATA - 1"

DATA ELEMENT: Performing Provider Identifier

(PERFORMING PROV ID)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
37.0	X(15)	LEFT	SPACES	244	258	C

DEFINITION: The identification number assigned to the

performing physician.

CODE VALUES: N/A

VALIDATION: See General Instructions for "Identification

Number" entry.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-38.0 450-39.0

"SERVICE DATA - 1"

450-40.0 450-41.0 450-42.0 450-43.0 450-44.0

DATA ELEMENT: Group and Reason Code 1

Group and Reason Code 2

Group and Reason Code 3

Group and Reason Code 4

Group and Reason Code 5

Group and Reason Code 6

Group and Reason Code 7

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
38.0	X(06)	LEFT	SPACES	259	264	С
39.0	X(06)	LEFT	SPACES	265	270	С
40.0	X(06)	LEFT	SPACES	271	276	С
41.0	X(06)	LEFT	SPACES	277	282	C
42.0	X(06)	LEFT	SPACES	283	288	C
43.0	X(06)	LEFT	SPACES	289	294	С
44.0	X(06)	LEFT	SPACES	295	300	С

DEFINITION: Claim adjustment reason codes. The codes show

the reasons for any adjustments, such as denials or reductions in payment from the amount billed, that are made on this service and may have a financial

effect.

For Medicare, use the American National Standards CODE VALUES:

Institute (ANSI) Accredited Standards Committee (ASC) X12 835 claim adjustment (CAS) codes and applicable

group code.

VALIDATION: N/A

Claim adjustment reason codes are maintained by the REMARKS:

Blue Cross Blue Shield Association.

For Medicare, the first two positions contain the 835 group code which is part of the ANSI ASC

X12 835 standard. The remaining positions

contain the claim adjustment reason code, starting with the third position. When reporting reason codes, the corresponding adjustment amount in record 451 must be

reported.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-45.0

"SERVICE DATA - 1"

DATA ELEMENT: Payor Claim Control Number (PAYOR CLM CONTROL NO)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
45.0	X(17)	LEFT	SPACES	301	317	R

DEFINITION: A number assigned by the payor to identify a

claim.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-46.0

"SERVICE DATA - 1"

DATA ELEMENT: HCPCS Modifier 4 (Modifier 4)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
46.0	X(02)	LEFT	SPACES	318	319	R

DEFINITION: This code identifies special circumstances related

to the performance of the service.

CODE VALUES: See current HCPCS modifier codes.

VALIDATION: N/A

REMARKS: Not used at present.

RECORD NAME: SERVICE DATA - 1 RECORD RECORD/FIELD: 450-47.0

"SERVICE DATA - 1"

DATA ELEMENT: Filler-National

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
47.0	X(01)	LEFT	SPACES	320	320	R

DEFINITION: Unused record space reserved for National Use.

CODE VALUES: N/A

VALIDATION: N/A

INTENTIONALLY LEFT BLANK SO THAT PRINTING FOR FRONT TO BACK COPIES WILL BE CORRECT FOR REMAINING PAGES

SERVICE DATA RECORD

RECORD TYPE: 451

"SERVICE DATA - 2"

RECORD NAME: SERVICE DATA - 2 RECORD RECORD TYPE: 451

LEVEL: SERVICE

To provide information related to the payment of PURPOSE:

medical services rendered to the patient by the

provider.

REQUIREMENTS: If required by the payor, this record must be

submitted.

ORDER: Preceding

Following Record Type Record Type

_____ 400, 450, or 500 450

NOTES:

RECORD NAME: SERVICE DATA - 2 RECORD RECORD TYPE: 451

FIELD NO.	FIELD NAME	FIELD LENGTH	TYPE	POSIT	
01.0	RECORD ID "451"	3	 X	01	03
02.0		10	X	04	13
03.0	PAT CONTROL NO	17	X	14	30
04.0		17	X	31	47
05.0	SERVICE LINE NO	3	N	48	50
06.0	PAYOR CLM CONTROL NO	17	X	51	67
07.0	LATE FILING REDUCTION	7	N	68	74
08.0	AMOUNT PATIENT OWES	7	N	75	81
09.0	ORIGINAL PROC CODE	5	X	82	86
10.0	DOLLAR AMOUNT1	7	N	87	93
11.0	DOLLAR AMOUNT2	7	N	94	100
12.0	DOLLAR AMOUNT3	7	N	101	107
13.0	DOLLAR AMOUNT4	7	N	108	114
14.0	DOLLAR AMOUNT5	7	N	115	121
15.0	NATIONAL DRUG CODE	11	X	122	132
16.0	LINE REMARK CODE 1	5	X	133	137
17.0	LINE REMARK CODE 2	5	X	138	142
18.0	LINE REMARK CODE 3	5	X	143	147
19.0	LINE REMARK CODE 4	5	X	148	152
20.0	LINE REMARK CODE 5	5	X	153	157
21.0	LINE REMARK CODE DATE	8	X	158	165
22.0	DOLLAR AMOUNT6	7	N	166	172
23.0	DOLLAR AMOUNT7	7	N	173	179
24.0	AMOUNT PATIENT PAID	7	N	180	186
25.0	ORIGINAL UNITS OF SERVICE	4	N	187	190
26.0	FILLER-NATIONAL	130	X	191	320

RECORD NAME: SERVICE DATA - 2 RECORD RECORD/FIELD: 451-01.0

"SERVICE DATA - 2"

DATA ELEMENT: Record Identifier "451" (RECORD ID "451")

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
01.0	X(03)	LEFT	SPACES	01	03	R

DEFINITION: Field used to identify the "Service Data - 2

Record".

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be "451".

RECORD NAME: SERVICE DATA - 2 RECORD RECORD/FIELD: 451-02.0

"SERVICE DATA - 2"

DATA ELEMENT: Payor Identification (PAYOR ID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ ---- 02.0 X(10) LEFT SPACES 04 13 R

DEFINITION: A unique number assigned to identify the entity

that generated this file.

CODE VALUES: N/A

VALIDATION: See General Instructions for "Identification

Number" entry.

RECORD NAME: SERVICE DATA - 2 RECORD RECORD/FIELD: 451-03.0

"SERVICE DATA - 2"

DATA ELEMENT: Patient Control Number (PAT CONTROL NO)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ

03.0 X(17) LEFT SPACES 14 30 R

DEFINITION: A value assigned by the provider to identify the

patient.

CODE VALUES: N/A

VALIDATION: See General Instructions for "Patient Control

Number" entry.

REMARKS: If accepted by the payor it should be returned on

the electronic remittance to facilitate the provider's posting of line item adjudication

information.

RECORD NAME: SERVICE DATA - 2 RECORD RECORD/FIELD: 451-04.0

"SERVICE DATA - 2"

DATA ELEMENT: Line Item Control Number (LINE CONTROL NO)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
04.0	X(17)	LEFT	SPACES	31	47	С

DEFINITION: An identifier assigned by the submitter/provider

to this line item.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: If accepted by the payor it should be returned on

the electronic remittance to facilitate the provider's posting of line item adjudication

information.

RECORD NAME: SERVICE DATA - 2 RECORD RECORD/FIELD: 451-05.0

"SERVICE DATA - 2"

DATA ELEMENT: Service Line Number (SERVICE LINE NO)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 05.0 9(03) RIGHT ZEROS 48 50 R

DEFINITION: Identifies the line relative to other lines

in a claim.

CODE VALUES: 001 through 999.

VALIDATION: Must be entered.

Must be numeric.

First occurrence in a claim must be 001.

Subsequent occurrences within a claim must be

incremented by the value of 001.

RECORD NAME: SERVICE DATA - 2 RECORD RECORD/FIELD: 451-06.0

"SERVICE DATA - 2"

DATA ELEMENT: Payor Claim Control Number

(PAYOR CLAIM CONTROL NO)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
06.0	X(17)	${ t LEFT}$	SPACES	51	67	R

DEFINITION: A number assigned by the payor to identify a

claim.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: SERVICE DATA - 2 RECORD RECORD/FIELD: 451-07.0

"SERVICE DATA - 2"

DATA ELEMENT: Late Filing Reduction

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
07.0	S9(05)99	RIGHT	ZEROS	68	74	С

DEFINITION: The amount deducted from the ACTUAL PAYMENT TO

PROVIDER (450-32.0) by the payor because the claim was not filed within the payor's timely

filing guidelines.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: If applicable, required for Medicare.

RECORD NAME: SERVICE DATA - 2 RECORD RECORD/FIELD: 451-08.0

"SERVICE DATA - 2"

DATA ELEMENT: Amount Patient Owes

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
08.0	S9(05)99	RIGHT	ZEROS	75	81	С

DEFINITION: The portion of the charge for this service that

is the patient's financial responsibility.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Not required for Medicare.

RECORD NAME: SERVICE DATA - 2 RECORD RECORD/FIELD: 451-09.0

"SERVICE DATA - 2"

DATA ELEMENT: Original Procedure Code (ORIGINAL PROC CODE)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 09.0 X(05) LEFT SPACES 82 86 C

DEFINITION: The original HCPCS/CPT-4 code that was submitted

by the provider to describe the service rendered.

CODE VALUES: HCPCS/CPT-4 code set.

VALIDATION: Must be entered if a HCPCS/CPT-4 code was

submitted on the original claim.

RECORD NAME: SERVICE DATA - 2 RECORD RECORD/FIELD: 451-10.0

"SERVICE DATA - 2"

451-11.0 451-12.0

451-13.0

451-14.0

DATA ELEMENT: Dollar Amount1

Dollar Amount2
Dollar Amount3
Dollar Amount4
Dollar Amount5

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
10.0	S9(05)V99	RIGHT	ZEROS	87	93	С
11.0	S9(05)V99	RIGHT	ZEROS	94	100	С
12.0	S9(05)V99	RIGHT	ZEROS	101	107	С
13.0	S9(05)V99	RIGHT	ZEROS	108	114	С
14.0	S9(05)V99	RIGHT	ZEROS	115	121	С

DEFINITION: The amount relating to the group and reason

codes 1-5 on the 450 record (fields 450-38.0

-450-42.0).

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Use these fields when reporting adjustments that

have an associated group and reason code on the 450

record.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 451-15.0

"PATIENT DATA"

DATA ELEMENT: National Drug Code

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
15.0	X(11)	LEFT	SPACES	122	132	С

DEFINITION: This is the national drug identification number

assigned by the Federal Drug Administration (FDA).

CODE VALUES: N/A

VALIDATION: If the Procedure Code on record 450, field 13.0

is blank AND the service was for prescription

drugs, this field must be entered.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 451-16.0

"PATIENT DATA"

451-17.0

451-18.0

451-19.0 451-20.0

DATA ELEMENT: Line Remark Code 1

Line Remark Code 2

Line Remark Code 3 Line Remark Code 4 Line Remark Code 5

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
16.0	X(05)	LEFT	SPACES	133	137	C
17.0	X(05)	LEFT	SPACES	138	142	C
18.0	X(05)	LEFT	SPACES	143	147	С
19.0	X(05)	LEFT	SPACES	148	152	С
20.0	X(05)	LEFT	SPACES	153	157	C

DEFINITION: Remark codes used to convey service-specific

information that does not involve a financial

adjustment.

CODE VALUES: For Medicare use the current Medicare Reference (REF)

Remark Codes.

VALIDATION: If entered, Medicare requires a valid REF Remark code.

REMARKS: REF Remark codes are maintained by HCFA.

RECORD NAME: SERVICE DATA - 2 RECORD RECORD/FIELD: 451-21.0

"SERVICE DATA - 2"

DATA ELEMENT: Line Remark Code Date

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
21.0	X(08)	LEFT	SPACES	158	165	С

DEFINITION: The date that corresponds to a particular remark

code message.

CODE VALUES: N/A

VALIDATION: See General Instructions for "Date" entry.

REMARKS: For Medicare, this date will always correspond

to REF Remark Code M16.

RECORD NAME: SERVICE DATA - 2 RECORD RECORD/FIELD: 451-22.0

"SERVICE DATA - 2"

DATA ELEMENT: Dollar Amount 6

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
22.0	S9(05)V99	RIGHT	ZEROS	166	172	С

DEFINITION: The amount relating to the group and reason

code 6 on the 450 record (field 450-43.0).

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Use these fields when reporting adjustments

that have an associated group and reason code

on the 450 record.

RECORD NAME: SERVICE DATA - 2 RECORD RECORD/FIELD: 451-23.0

"SERVICE DATA - 2"

DATA ELEMENT: Dollar Amount 7

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
23.0	S9(05)V99	RIGHT	ZEROS	173	179	С

DEFINITION: The amount relating to the group and reason

code 7 on the 450 record (field 450-44.0).

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Use this field when reporting adjustments that

have an associated group and reason code on the

450 record.

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 451-24.0

"PATIENT DATA"

DATA ELEMENT: Amount Patient Paid

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
24.0	S9(05)V99	RIGHT	ZEROS	180	186	С

DEFINITION: The portion of the charge for this service that the

patient has paid.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM DATA RECORD RECORD/FIELD: 451-25.0

"PATIENT DATA"

DATA ELEMENT: Original Units of Service

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
25.0	9(03)V9	LEFT	SPACES	187	190	С

DEFINITION: The original units of service that was submitted

by the provider (in days or units).

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: In order to capture fractional services, use the fourth

position with an assumed decimal point.

RECORD NAME: SERVICE DATA - 2 RECORD RECORD/FIELD: 451-26.0

"SERVICE DATA - 2"

DATA ELEMENT: Filler-National

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
26.0	X(130)	LEFT	SPACES	191	320	R

DEFINITION: Unused record space reserved for National use.

CODE VALUES: N/A

VALIDATION: N/A

PATIENT CLAIM TRAILER RECORD

RECORD TYPE: 500

"CLAIM TRAILER RECORD"

VERSION 002.01 - 10/01/1997

ELECTRONIC REMITTANCE NOTICES NATIONAL STANDARD FORMAT

RECORD NAME: PATIENT CLAIM TRAILER RECORD RECORD TYPE: 500

LEVEL: CLAIM

To provide information related to the payment of PURPOSE:

of services rendered to the patient by the

provider.

REQUIREMENTS: Only one "500" record is required per claim.

ORDER:

NOTES:

RECORD NAME: PATIENT CLAIM TRAILER RECORD TYPE: 500

FIELD NO.	FIELD NAME	FIELD LENGTH	TYPE	POSIT	THRU
01.0	RECORD ID "500"	3	X	01	03
02.0	PAYOR ID	10	X	04	
03.0	PAT CONTROL NO	17	X	14	30
04.0	CT LINE ITEMS	3	N	31	33
05.0	CT SUBMITTED CHARGES	7	N	34	40
06.0	CT DISALLOW-COST CONT	7	N	41	47
07.0	CT DISALLOW/NONCOVER	7	N	48	54
08.0	CT ALLOWED	7	N	55	61
09.0	CT DEDUCTIBLE	7	N	62	68
10.0	CT COINSURANCE	7	N	69	75
11.0	CT INTEREST PAID	7	N	76	82
12.0	CT GRAMM-RUDMAN RED	7	N	83	89
13.0	CT AMT PAID BY OTHER PAYOR	7	N	90	96
14.0	CT PROV ADJUSTMENT	7	N	97	103
15.0	CT CALC PAY TO PROV	7	N	104	110
16.0	CT CALC PAY TO PAYEE	7	N	111	117
17.0	CT PREV PAY TO PROV	7	N	118	124
18.0	CT PREV PAY TO PAYEE	7	N	125	131
19.0	CT ACTL PAY TO PROV	7	N	132	138
20.0		7	N	139	145
21.0	PAYOR CLM CONTROL NO	17	X	146	
22.0	CT INTE ETITMO DED	7	N	163	169
23.0	CT AMT PATIENT OWES	7	N	170	176
24.0	CEM FIELING IND	-	X	177	177
25.0	CARRIER/SUPPL INSURER NAME.	1 33	X	178	210
26.0	IDENTIFICATION NO1	15	X	211	225
27.0	CARRIER/SUPPL INSURER NAME:		X	226	
28.0	IDENTIFICATION NO2	15	X	259	
29.0	CT AMT PATIENT PAID		X	274	280
30.0	CLAIM ADJUSTMENT REASON CO	DE1 6	X	281	286
31.0	CLAIM ADJUSTMENT REASON CO		X	287	292
32.0	CLAIM ADJUSTMENT REASON CO		X	293	298
33.0	DOLLAR AMOUNT1	7	N	299	
34.0	DOLLAR AMOUNT2	7	N	306	
35.0	DOLLAR AMOUNT3	7		313	
36.0	FILLER-NATIONAL	1	X	320	320

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-01.0

DATA ELEMENT: Record Identifier "500" (RECORD ID "500")

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 01.0 X(03) LEFT SPACES 01 03 R

DEFINITION: The field used to identify the "Patient Claim

Trailer Record".

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be "500".

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-02.0

DATA ELEMENT: Payor Identification (PAYOR ID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 02.0 X(10) LEFT SPACES 04 13 R

DEFINITION: A unique number assigned to identify the entity

that generated this file.

CODE VALUES: N/A

VALIDATION: See General Instructions for "Identification

Number" only.

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-03.0

DATA ELEMENT: Patient Control Number (PAT CONTROL NO)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 03.0 X(17) LEFT SPACES 14 30 R

DEFINITION: A value assigned by the provider to identify the

patient.

CODE VALUES: N/A

VALIDATION: See General Instructions for "Patient Control

Number" entry.

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-04.0

DATA ELEMENT: CT Line Items

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
04.0	9(03)	RIGHT	ZEROS	31	33	R

DEFINITION: The number of "450" service line items for

this patient.

CODE VALUES: 001 through 999.

VALIDATION: Must be entered.

Must be numeric.

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-05.0

DATA ELEMENT: CT Submitted Charges

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
05.0	S9(05)V99	RIGHT	ZEROS	34	40	R

DEFINITION: The total submitted charges of the line items

for this patient.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: This is the computed sum of all submitted

lines charges (450-18.0). Required for Medicare.

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-06.0

DATA ELEMENT: CT Disallow-Cost Containment

(CT DISALLOW-COST CONT)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
06.0	S9(05)V99	RIGHT	ZEROS	41	47	С

DEFINITION: The total of the line charges for this patient

disallowed by the payor due to the failure of either the provider or insured to meet the cost containment provision of the insurance contract, managed care contract or PPO contract under which

payment has been requested for this patient.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-07.0

DATA ELEMENT: CT Disallow/Noncover

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
07.0	S9(05)V99	RIGHT	ZEROS	48	54	С

DEFINITION: The total of the line charges for this patient

disallowed by the payor for reasons other than the failure of the provider or insured to meet the cost containment provisions of the insurance contract, managed care contract or PPO contract under which payment has been requested for this

patient.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-08.0

DATA ELEMENT: CT Allowed

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
08.0	S9(05)V99	RIGHT	ZEROS	55	61	С

DEFINITION: The maximum amount determined by the payor as being

"allowed" for the claim under the provisions of the

contract prior to the determination of actual

payment, for this claim.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-09.0

DATA ELEMENT: CT Deductible

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
09.0	S9(05)V99	RIGHT	ZEROS	62	68	С

DEFINITION: This is the amount applied to the deductible by

this payor, for this claim.

The amount deducted, by the payor, from the allowed amount in order to meet the contract

"deductible" provisions.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-10.0

DATA ELEMENT: CT Coinsurance

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
10.0	S9(05)V99	RIGHT	ZEROS	69	75	С

DEFINITION: The amount deducted from this claim, by the

payor, from the allowed amount in order to meet the "co-insurance" provisions of the contract. The amount applied toward the coinsurance by

this payor.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-11.0

DATA ELEMENT: CT Interest Paid

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
11.0	S9(05)V99	RIGHT	ZEROS	76	82	С

DEFINITION: The claims processing timeliness interest applied

to this claim.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-12.0

DATA ELEMENT: CT Gramm-Rudman Reduction

(CT GRAMM-RUDMAN RED)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
12.0	S9(05)V99	RIGHT	ZEROS	83	89	С

DEFINITION: The amount applied to the Gramm-Rudman reduction,

for this claim.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-13.0

DATA ELEMENT: CT Amount Paid by Other Payor

(CT AMT OTHER PAYOR)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
13.0	S9(05)V99	RIGHT	ZEROS	90	96	С

DEFINITION: The amount paid by another payor, for this claim.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-14.0

DATA ELEMENT: CT Provider Adjustment

(CT PROV ADJUSTMENT)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
14.0	S9(05)V99	RIGHT	ZEROS	97	103	С

DEFINITION: The adjusted amount applied to this claim.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-15.0

DATA ELEMENT: CT Calculated Payment to Provider

(CT CALC PAY TO PROV)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
15.0	S9(05)V99	RIGHT	ZEROS	104	110	С

DEFINITION: The calculated payment to the provider,

for this claim.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: This is the computed sum of claim submitted

charges (500-05.0) less:

Deductible Amount (450-22) Coinsurance Amount (450-23)

Calculated Pay to Payee (Unassignment) (450-29)

Dollar Amounts 1-5 (451-10 to 14)
Dollar Amounts 6-7 (451-22 to 23)
CT Gramm Rudman Reduction (500-12.0)
CT Previous Pay to Provider (500-17.0)

CT Previous Pay to Payee (500-18.0)

Dollar Amounts 1-3 (claim adjusts.) (500-33 - 500-35)

Required for Medicare.

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-16.0

DATA ELEMENT: CT Calculated Payment to Payee

(CT CALC PAY TO PAYEE)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
16.0	S9(05)V99	RIGHT	ZEROS	111	117	С

DEFINITION: The calculated payment to the payee

(other than the provider), for this claim.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-17.0

DATA ELEMENT: CT Previous Payment to Provider

(CT PREV PAY TO PROV)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
17.0	S9(05)V99	RIGHT	ZEROS	118	124	С

DEFINITION: The amount previously paid to the provider

for this claim.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-18.0

DATA ELEMENT: CT Previous Payment to Payee

(CT PREV PAY TO PAYEE)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
18.0	S9(05)V99	RIGHT	ZEROS	125	131	С

DEFINITION: The amount previously paid to the payee

(other than the provider) for this claim.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-19.0

DATA ELEMENT: CT Actual Payment to Provider

(CT ACTL PAY TO PROV)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
19.0	S9(05)V99	RIGHT	ZEROS	132	138	С

DEFINITION: The actual payment to the provider for this

claim.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: Not required for Medicare.

This is the computed sum of the CT Calculated Pay to

Provider (500-15.0) less:

CT Late Filing Reduction (sum of all 451-07)

Plus: Interest Paid (500-11)

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-20.0

DATA ELEMENT: CT Actual Payment to Payee

(CT ACTL PAY TO PAYEE)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
20.0	S9(05)V99	RIGHT	ZEROS	139	145	С

DEFINITION: The actual payment to the payee

(other than the provider) for this claim.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-21.0

DATA ELEMENT: Payor Claim Control Number

(PAYOR CLM CONTROL NO)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
21.0	X(17)	LEFT	SPACES	146	162	R

DEFINITION: A number assigned by the payor to identify a

claim.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-22.0

DATA ELEMENT: CT Late Filing Reduction (CT LATE FILING RED)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 22.0 S9(05)V99 RIGHT ZEROS 163 169 C

DEFINITION: The total amount applied to the Late Filing

Reduction, for this claim.

CODE VALUES: N/A

VALIDATION: Must be the computed sum of all the LATE FILING

REDUCTION (451-07.0) fields included on this

claim.

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-23.0

DATA ELEMENT: CT Amount Patient Owes

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
23.0	S9(05)V99	RIGHT	ZEROS	170	176	С

DEFINITION: The total amount applied to the Amount Patient

Owes, for this claim.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: If applicable, required for Medicare. It must be the

total amount for which the patient is responsible as computed within the adjudication process, accumulated

using amounts associated with PR group codes.

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-24.0

DATA ELEMENT: Claim Filing Indicator (CLM FILING IND)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 24.0 X(01) LEFT SPACES 177 177 C

DEFINITION: A code indicating whether the provider accepted

assignment.

CODE VALUES: 1 = Yes, accepted assignment

0 = No, did not accept assignment

VALIDATION: Must be entered if required by payor.

If entered, must be a valid code from above list.

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-25.0

DATA ELEMENT: Carrier/Supplemental Insurer Name1

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
25.0	X(33)	LEFT	SPACES	178	210	С

DEFINITION: The name of the carrier or supplemental insurer to

whom the claim were crossed over or transferred.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-26.0

DATA ELEMENT: Identification Number1 (IDENTIFICATION NO1)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 26.0 X(15) LEFT SPACES 211 225 C

DEFINITION: A unique number that identifies the organization in

500-25.

CODE VALUES: N/A

VALIDATION: See General Instruction for "Identication Number" entry.

REMARKS: This field should contain a unique number that

identifies the organization in 500-25. The National

Payer ID must be entered here when effective.

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-27.0

DATA ELEMENT: Carrier/Supplemental Insurer Name2

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
27.0	X(33)	LEFT	SPACES	226	258	С

DEFINITION: The name of the carrier or supplemental insurer to

whom the claim were crossed over or transferred.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-28.0

DATA ELEMENT: Identification Number2 (IDENTIFICATION NO2)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 28.0 X(15) LEFT SPACES 259 273 C

DEFINITION: A unique number that identifies the organization in

500-27.

CODE VALUES: N/A

VALIDATION: See General Instruction for "Identication Number" entry.

REMARKS: This field should contain a unique number that

identifies the organization in 500-27. The National

Payer ID must be entered here when effective.

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-29.0

DATA ELEMENT: CT Amount Patient Paid (CT AMT PATIENT PAID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 29.0 S9(05)V99 RIGHT ZEROS 274 280 C

DEFINITION: The the total amount the patient has already paid for this

claim.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-30.0

500-31.0 500-32.0

DATA ELEMENT: Claim Adjustment Reason Code1

Claim Adjustment Reason Code2 Claim Adjustment Reason Code3

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
30.0	X(06)	LEFT	SPACES	281	286	С
31.0	X(06)	LEFT	SPACES	287	292	С
32.0	X(06)	LEFT	SPACES	293	298	С

DEFINITION: Claim adjustment reason codes. The codes show

the reasons for any adjustments, such as denials or reductions in payment from the amount billed, that are made on claims and may have a financial effect.

CODE VALUES: For Medicare, use the American National Standards

Institute (ANSI) Accredited Standards Committee (ASC) X12 835 claim adjustment (CAS) codes and applicable

group code.

VALIDATION: At least one reason code must be shown per claim. This

can be at service or claim level.

REMARKS: Claim adjustment reason codes are maintained by

the Blue Cross Blue Shield Association.

For Medicare, the first two positions contain the X12 835 group code which is part of the

ANSI ASC X12 835 standard. The remaining positions

contain the claim adjustment reason code, starting with

the third position.

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-33.0

500-34.0

500-35.0

DATA ELEMENT: Dollar Amount1

Dollar Amount2
Dollar Amount3

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
33.0	S9(05)V99	RIGHT	ZEROS	299	305	С
34.0	S9(05)V99	RIGHT	ZEROS	306	312	С
35.0	S9(05)V99	RIGHT	ZEROS	313	319	С

DEFINITION: Claim adjustment amount relating to the reason codes

(fields 500-30.0, 500-31.0 and 500-32.0).

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: PATIENT CLAIM TRAILER RECORD/FIELD: 500-36.0

"CLAIM TRAILER RECORD"

DATA ELEMENT: FILLER-NATIONAL

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
36.0	X(01)	LEFT	SPACES	320	320	R

DEFINITION: Unused record space reserved for National use.

CODE VALUES: N/A

VALIDATION: N/A

INTENTIONALLY LEFT BLANK SO THAT PRINTING FOR FRONT TO BACK COPIES WILL BE CORRECT FOR REMAINING PAGES

BATCH ADJUSTMENT RECORD

RECORD TYPE: 700

"PROVIDER ADJUSTMENT DATA RECORD"

RECORD NAME: PROVIDER ADJUSTMENT DATA RECORD RECORD TYPE: 700

LEVEL: BATCH

To provide adjustment summary information not PURPOSE:

attributable to a specific claim.

REQUIREMENTS: If required by the payor, this record(s) must be

sent.

Preceding Record Type ORDER: Following

Record Type

700 or 800 500 or 700

NOTES: Create a "700" record for each FCN you offset against.

RECORD NAME: BATCH ADJUSTMENT RECORD RECORD TYPE: 700
"PROVIDER ADJUSTMENT DATA"

FIELD		FIELD		POSIT	CIONS
NO.	FIELD NAME	LENGTH	TYPE	FROM	THRU
01.0	RECORD ID "700"	3	X	01	03
02.0	PAYOR ID	10	X	04	13
03.0	SEQUENCE NO	4	N	14	17
04.0	HIC NO	25	X	18	42
05.0	PATIENT ACCT NO	17	X	43	59
06.0	PROVIDER ADJUSTMENT REASON	2	X	60	61
07.0	ADJUSTMENT AMOUNT	7	X	62	68
08.0	FINANCIAL CONTROL NO	17	X	69	85
09.0	FILLER-NATIONAL	235	X	86	320

RECORD NAME: BATCH ADJUSTMENT DATA RECORD RECORD/FIELD: 700-01.0

"PROVIDER ADJUSTMENT DATA"

DATA ELEMENT: Record Identifier "700" (RECORD ID "700")

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 01.0 X(03) LEFT SPACES 01 03 R

DEFINITION: Field used to identify the "Batch Adjustment Data

Record".

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be "700".

RECORD NAME: BATCH ADJUSTMENT RECORD RECORD/FIELD: 700-02.0

"PROVIDER ADJUSTMENT DATA"

DATA ELEMENT: Payor Identification (PAYOR ID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ 02.0 X(10) LEFT SPACES 04 13 R

DEFINITION: A unique number assigned to identify the entity

that generated this file.

CODE VALUES: N/A

VALIDATION: Must be entered.

Must match the "Payor Identification" value

entered in field 200-02.0.

See General Instructions for "Identification

Numbers" entry.

RECORD NAME: BATCH ADJUSTMENT DATA RECORD RECORD/FIELD: 700-03.0

"PROVIDER ADJUSTMENT DATA"

DATA ELEMENT: Sequence Number (SEQUENCE NO)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
03.0	9(04)	RIGHT	ZEROS	14	17	R

DEFINITION: Value to sequence the provider (batch level)

adjustment record(s).

CODE VALUES: 0001 through 9999.

VALIDATION: Must be entered.

Must be numeric

First occurrence must be 0001. Subsequent

occurrences must be incremented by the value 0001.

RECORD NAME: BATCH ADJUSTMENT RECORD RECORD/FIELD: 700-04.0

"PROVIDER ADJUSTMENT DATA"

DATA ELEMENT: Health Insurance Claim Number (HIC NO)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
04.0	X(25)	LEFT	SPACES	18	42	С

DEFINITION: The insured's unique identification number assigned by

the payor, i.e., health insurance claim number, where the adjustment is related to a previously

processed claim.

CODE VALUES: N/A

VALIDATION: See GENERAL INSTRUCTIONS for "Identification

Number" entry.

RECORD NAME: BATCH ADJUSTMENT RECORD RECORD/FIELD: 700-05.0

"PROVIDER ADJUSTMENT DATA"

DATA ELEMENT: Patient Account Number (PATIENT ACCT NO)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 05.0 X(17) LEFT SPACES 43 59 C

DEFINITION: The number assigned by the provider to identify

the patient whose previously processed claim may

have initiated an adjustment.

CODE VALUES: N/A

VALIDATION: See GENERAL INSTRUCTIONS for "Identification

Number" entry.

RECORD NAME: BATCH ADJUSTMENT RECORD RECORD/FIELD: 700-06.0

"PROVIDER ADJUSTMENT DATA"

DATA ELEMENT: Provider Adjustment Reason (ADJUSTMENT REASON)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
06.0	X(02)	LEFT	SPACES	60	61	С

DEFINITION: A code that indicates the reason for the provider

level adjustment.

CODE VALUES: AP = Advance Payment

BF = Balance Forwarded

LP = Student Loan Repayment

OF = Offset
IL = IRS Levy

WH = IRS Withholding

IN = Interest
AJ = Adjustment
RF = Refund

LF = Late Filing Reduction

RI = Reissue/Void

VALIDATION: If entered, must be a valid code from the above

list.

REMARKS: If applicable, required for Medicare.

RECORD NAME: BATCH ADJUSTMENT RECORD RECORD/FIELD: 700-07.0

"PROVIDER ADJUSTMENT DATA"

DATA ELEMENT: Adjustment Amount (ADJUSTMENT AMOUNT)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
07.0	S9(5)V99	RIGHT	ZEROS	62	68	С

DEFINITION: Provider adjustment amount. The adjustment amount

is to the total provider payment and is not related to a specific claim or service in this

transmission.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: If 700-06.0 has a value of IN (Interest), the

occurrence of this field would be the computed

sum of all late refund interest to be withheld from the

provider's payment.

If 700-06.0 has a value of LF (Late Filing Reduction), the occurrence of this field would be the computed sum of all Late Filing Reduction (451-07.0).

If 700-06 has a value of:

AP, this will be the Advance Payment

BF, this will be the Balance Forwarded

LP, this will be the Student Loan Repayment

OF, this will be the Offset Amount

RF, this will be the Refund Amount

AJ, this will be the Adjustment Amount

IL, this will be the IRS Levy Amount

WH, this will be the IRS Withholding Amount

RI, this will be the Reissue/Void Amount

If applicable, required for Medicare.

RECORD NAME: BATCH ADJUSTMENT RECORD RECORD/FIELD: 700-08.0

"PROVIDER ADJUSTMENT DATA"

DATA ELEMENT: Financial Control Number (FINANCIAL CONTROL NO)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 08.0 X(17) LEFT SPACES 69 85 C

DEFINITION: The Financial Control Number (FCN) assigned by the

payor to identify a specific financial transaction

adjustment.

CODE VALUES: N/A

VALIDATION: N/A

REMARKS: If applicable, required for Medicare.

RECORD NAME: BATCH ADJUSTMENT RECORD RECORD/FIELD: 700-09.0

"PROVIDER ADJUSTMENT DATA"

DATA ELEMENT: Filler-National

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ ----- 09.0 X(235) LEFT SPACES 86 320 R

DEFINITION: Unused record space reserved for National use.

CODE VALUES: N/A

VALIDATION: N/A

BATCH TRAILER RECORD

RECORD TYPE: 800

"BATCH TRAILER RECORD"

RECORD NAME: BATCH TRAILER RECORD RECORD TYPE: 800

LEVEL: BATCH

The last record of any batch of remittance PURPOSE:

> notices sent electronically to the provider. It contains information pertinent to balancing

of each batch within a file.

REQUIREMENTS: An "800" record is required for each batch sent.

Preceding Following
Record Type Record Type ORDER:

500 or 700 900 or 200

NOTES:

RECORD NAME: BATCH TRAILER RECORD RECORD TYPE: 800

FIELD NO.	FIELD NAME LE		TYPE	POSIT FROM	TIONS THRU
01.0	 RECORD ID "800"	3	 X	 01	03
02.0	PAYOR ID	10	X	04	13
03.0	SOURCE OF PAYMENT	1	X	14	14
04.0	EMC PROV ID	15	X	15	29
05.0	BATCH NO	4	N	30	33
06.0	BT CLAIM RECORDS	5	N	34	38
07.0	BT SERV DATA REC	5	X	39	43
08.0	BT SUBMITTED CHARGES	9	N	44	52
09.0	BT DISALLOW-COST CONT	9	N	53	61
10.0	BT DISALLOW/NONCOVER	9	N	62	70
11.0	BT ALLOWED	9	N	71	79
12.0	BT DEDUCTIBLE	9	N	80	88
13.0	BT COINSURANCE	9	N	89	97
14.0	BT INTEREST PAID	9	N	98	106
15.0	BT GRAMM-RUDMAN RED	9	N	107	115
16.0	BT AMT PD OTHER PAYOR	9	N	116	124
17.0	BT PROV ADJUSTMENT	9	N	125	
18.0	BT CALC PAY TO PROV	9	N	134	142
19.0	BT CALC PAY TO PAYEE	9	N	143	151
20.0	BT PREV PAY TO PROV	9	N	152	160
21.0	BT PREV PAY TO PAYEE	9	N	161	169
22.0	BT ACTL PAY TO PROV	9	N	170	
23.0	BT ACTL PAY TO PAYEE	9	N	179	187
24.0	BT LATE FILING RED	9	N	188	196
25.0	BT AMT PATIENT OWES	9	N	197	205
26.0	FILLER	23	X	206	228
27.0	BT TOTAL PROV ADJ RECS	5	N	229	233
28.0	BT TOTAL PROV ADJ AMT	9	N	234	242
29.0	BT AMT PATIENT PAID	9	N	243	251
30.0	FILLER-NATIONAL	69	X	252	320

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-01.0

DATA ELEMENT: Record Identifier "800" (RECORD ID "800")

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 01.0 X(03) LEFT SPACES 01 03 R

DEFINITION: The field used to identify the "Batch Trailer

Record".

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be "800".

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-02.0

DATA ELEMENT: Payor Identification (PAYOR ID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 02.0 X(10) LEFT SPACES 04 13 R

DEFINITION: A unique number assigned to identify the entity

that generated this file.

CODE VALUES: N/A

VALIDATION: Must be entered.

Must match the "Payor Identification" value

entered in field 200-02.0.

See GENERAL INSTRUCTIONS for "Identification

Number" entry.

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-03.0

DATA ELEMENT: Source of Payment

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ 03.0 X(01) LEFT SPACES 14 14 R

DEFINITION: A code identifying source of payment for

this group of claims.

CODE VALUES: A = SELF PAY

B = WORKER'S COMPENSATION

C = MEDICARE
D = MEDICAID

E = OTHER FEDERAL PROGRAM

F = COMMERCIAL INSURANCE COMPANY

G = BLUE CROSS / BLUE SHIELD

H = CHAMPUS

I = HMO

J = FEDERAL EMPLOYEE'S PROGRAM (FEP)

K = CENTRAL CERTIFICATION

L = SELF ADMINISTERED M = FAMILY or FRIENDS

Z = OTHER

VALIDATION: Must be entered.

Must be a valid code from the above list.

Must match the "Source of Payment" value

entered in field 200-03.0.

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-04.0

DATA ELEMENT: EMC Provider Identifier (EMC PROV ID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 04.0 X(15) LEFT SPACES 15 29 R

DEFINITION: The unique number assigned to the provider by the

payor for EMC identification purposes.

CODE VALUES: N/A

VALIDATION: Must be entered.

Must match the "EMC Provider Identifier" value

entered in field 200-04.0.

See GENERAL INSTRUCTIONS for "Identification

Number" entry.

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-05.0

DATA ELEMENT: Batch Number (BATCH NO)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 05.0 9(04) RIGHT ZEROS 30 33 R

DEFINITION: A sequential number assigned to each batch of

claims by the entity that generated this file.

CODE VALUES: 0001 through 9999.

VALIDATION: Must be entered.

Must be numeric.

Must match the "Batch Number" value entered in

field 200-05.0.

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-06.0

DATA ELEMENT: BT Claim Records

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
06.0	9(05)	RIGHT	ZEROS	34	38	R

DEFINITION: The number of "400" patient claim data records

in this batch.

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be numeric.

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-07.0

DATA ELEMENT: BT Service Data Records (BT SERV DATA RECS)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 07.0 X(05) RIGHT ZEROS 39 43 R

DEFINITION: The number of "450" SERVICE DATA- 1 records in

this batch.

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be numeric.

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-08.0

DATA ELEMENT: BT Submitted Charges

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
08.0	S9(07)V99	RIGHT	ZEROS	44	52	R

DEFINITION: The total submitted charges of the line items for

this batch.

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be numeric.

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-09.0

DATA ELEMENT: BT Disallow-Cost Containment

(BT DISALLOW-COST CONT)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
09.0	S9(07)V99	RIGHT	ZEROS	53	61	С

DEFINITION: The total of the line charges for this batch

disallowed by the payor due to the failure of either the provider or insured to meet the cost containment provision of the insurance contract, managed care contract or PPO contract under which payment has been requested for the

beneficiaries.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-10.0

DATA ELEMENT: BT Disallow/Noncover

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
10.0	S9(07)V99	RIGHT	ZEROS	62	70	С

DEFINITION: The total of the line charges for this batch

disallowed by the payor for reasons other than the failure of the provider or insured to meet the cost containment provisions of the insurance contract, managed care contract or PPO contract

under which payment has been requested.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-11.0

DATA ELEMENT: BT Allowed

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
11.0	S9(07)V99	RIGHT	ZEROS	71	79	С

DEFINITION: The maximum payment amount determined by the

payor as being "allowed" under the provisions of the contract prior to the determination of

the actual payment, for this batch.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-12.0

DATA ELEMENT: BT Deductible

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
12.0	S9(07)V99	RIGHT	ZEROS	80	88	С

DEFINITION: This is the amount applied to the deductible

by this payor, for this batch.

The amount deducted, by the payor, from the allowed amount in order to meet the contract

"deductible" provisions.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-13.0

DATA ELEMENT: BT Coinsurance

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
13.0	S9(07)V99	RIGHT	ZEROS	89	97	С

DEFINITION: The amount deducted from this batch, by the

payor, from the allowed amount in order to meet the "co-insurance" provisions of the contract.

The amount applied toward the coinsurance by

this payor.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-14.0

DATA ELEMENT: BT Interest Paid

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
14.0	S9(07)V99	RIGHT	ZEROS	98	106	С

DEFINITION: The total interest applied to this batch.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-15.0

DATA ELEMENT: BT Gramm-Rudman Reduction

(BT GRAMM-RUDMAN RED)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
15.0	S9(07)V99	RIGHT	ZEROS	107	115	С

DEFINITION: The total amount of the Gramm-Rudman reduction,

for this batch.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-16.0

DATA ELEMENT: BT Amount Paid Other Payor

(BT AMT PD OTHER PAYOR)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
16.0	S9(07)V99	RIGHT	ZEROS	116	124	С

DEFINITION: The total amount paid by other payors,

for this batch.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-17.0

DATA ELEMENT: BT Provider Adjustment (BT PROV ADJUSTMENT)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 71.0 S9(07)V99 RIGHT ZEROS 125 133 C

DEFINITION: The total adjusted amount applied to this batch.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-18.0

DATA ELEMENT: BT Calculated Payment to Provider

(BT CALC PAY TO PROV)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
18.0	S9(07)V99	RIGHT	ZEROS	134	142	С

DEFINITION: The calculated total payment to the provider

for this batch.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-19.0

DATA ELEMENT: BT Calculated Payment to Payee

(BT CALC PAY TO PAYEE)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
19.0	S9(07)V99	RIGHT	ZEROS	143	151	С

DEFINITION: The total calculated payments to the payees,

(other than the providers), for this batch.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-20.0

DATA ELEMENT: BT Previous Payment to Provider

(BT PREV PAY TO PROV)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
20.0	S9(07)V99	RIGHT	ZEROS	152	160	С

DEFINITION: The amount previously paid to the provider for claims in this batch.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-21.0

DATA ELEMENT: BT Previous Payment to Payee

(BT PREV PAY TO PAYEE)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
21.0	S9(07)V99	RIGHT	ZEROS	161	169	С

DEFINITION: The amount previously paid to payees (other

than the providers) for claims in this batch.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-22.0

DATA ELEMENT: BT Actual Payment to Provider

(BT ACTL PAY TO PROV)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
22.0	S9(07)V99	RIGHT	ZEROS	170	178	С

DEFINITION: The actual payment to the provider for this

batch, including adjustments reported in 700.07.

CODE VALUES: N/A

VALIDATION: This is the actual amount of the "Check Number /

EFT Tracer Number" (200-02.0) issued to the "EMC

Provider Identifier" (200-04.0 and 800-04.0)

identified in this batch.

REMARKS: Required for Medicare.

This is the computed sum of all claim level calculated pay to provider (500-15.0) plus:

All adjustment amounts (700-07.0) associated with the following adjustment reasons (700-06):

IN (Interest,Net of all 500.11 and of late refund interest)

AP (Advance Pay)

RF (Refund)

OF (Offsets)

AJ (negative-signed adjustments)

RI (Reissue/Void)

Less:

All adjustment amounts (700-07.0) associated with the following adjustment reasons (700-06):

LF (Late Filing Reduction, Sum of all 451-07)

LP (Student Loan Repay)

IL (IRS Levy)

WH (IRS Withholding)

OF (Offsets)

AJ (positive-signed adjustments)

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-23.0

DATA ELEMENT: BT Actual Payment to Payee

(BT ACTL PAY TO PAYEE)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
23.0	S9(07)V99	RIGHT	ZEROS	179	187	С

DEFINITION: The actual payment to the payees (other than

the providers) for this batch.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-24.0

DATA ELEMENT: BT Late Filing Reduction (BT LATE FILING RED)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 24.0 S9(07)V99 RIGHT ZEROS 188 196 C

DEFINITION: The total amount applied to the Late Filing

Reduction, for this batch.

CODE VALUES: N/A

VALIDATION: Must be the computed sum of all the CT LATE

FILING REDUCTION (500-22.0) fields included in

this batch.

VERSION 002.01 - 10/01/1997

ELECTRONIC REMITTANCE NOTICES NATIONAL STANDARD FORMAT

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-25.0

DATA ELEMENT: BT Amount Patient Owes (BT AMT PATIENT OWES)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 25.0 S9(07)V99 RIGHT ZEROS 197 205 C

DEFINITION: The total amount of charges that is patient

financial responsibility, for this batch.

CODE VALUES: N/A

VALIDATION: Must be the computed sum of all the CT AMOUNT

PATIENT OWES (500-23.0) fields included in this

batch.

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-26.0

DATA ELEMENT: Filler

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
26.0	X(23)	LEFT	SPACES	206	228	R

DEFINITION: N/A

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-27.0

DATA ELEMENT: BT Total Provider Adjustment Records

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
27.0	9(05)	RIGHT	ZEROS	229	233	С

DEFINITION: The number of "700" provider adjustment data records in

this batch.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-28.0

DATA ELEMENT: BT Total Provider Adjustment Amount

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
28.0	S9(07)V99	RIGHT	ZEROS	234	242	С

DEFINITION: The total provider adjustment amount not related to a

specific claim or service, for this batch.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-29.0

DATA ELEMENT: BT Amount Patient Paid (BT AMT PATIENT PAID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 29.0 S9(07)V99 RIGHT ZEROS 243 251 C

DEFINITION: The total amount paid by the patient, for this batch.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: BATCH TRAILER RECORD RECORD/FIELD: 800-30.0

DATA ELEMENT: Filler-National

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
30.0	X(69)	LEFT	SPACES	252	320	R

DEFINITION: Unused record space reserved for National use.

CODE VALUES: N/A

VALIDATION: N/A

INTENTIONALLY LEFT BLANK SO THAT PRINTING FOR FRONT TO BACK COPIES WILL BE CORRECT FOR REMAINING PAGES

FILE TRAILER RECORD

RECORD TYPE: 900

"FILE TRAILER RECORD"

RECORD TYPE: 900 RECORD NAME: FILE TRAILER RECORD

LEVEL: FILE

PURPOSE: The last record of any file of remittance

> notices sent electronically to the provider. It contains information pertinent to balancing

of the file.

REQUIREMENTS: An "900" record is required.

ORDER: Preceding Following Preceding Following
Record Type Record Type

800 NONE

NOTES:

RECORD NAME: FILE TRAILER RECORD RECORD TYPE: 900

FIELD		FIELD		POSI	rions
NO.	FIELD NAME	LENGTH	TYPE	FROM	THRU
01.0	RECORD ID "900"	3		01	03
02.0	PAYOR ID	10	X	04	13
03.0	RECEIVER ID	16	X	14	29
04.0	RESERVED (900-04.0)	9	X	30	38
05.0	SUBMITTER ID	16	X	39	54
06.0	RESERVED (900-06.0)	6	X	55	60
07.0	FT BATCHES	5	N	61	65
08.0	FT PATIENT RECORDS	6	N	66	71
09.0	FT SUBMITTED CHARGES	11	N	72	82
10.0	FT DISALLOW-COST CONT	11	N	83	93
11.0	FT DISALLOW/NONCOVER	11	N	94	104
12.0	FT ALLOWED	11	N	105	115
13.0	FT DEDUCTIBLE	11	N	116	126
14.0	FT COINSURANCE	11	N	127	137
15.0	FT INTEREST PAID	11	N	138	148
16.0	FT GRAMM-RUDMAN RED	11	N	149	159
17.0	FT AMT PD OTHER PAYOR	11	N	160	170
18.0	FT PROV ADJUSTMENT	11	N	171	181
19.0	FT CALC PAY TO PROV	11	N	182	192
20.0	FT CALC PAY TO PAYEE	11	N	193	203
21.0	FT PREV PAY PROV	11	N	204	214
22.0	FT PREV PAY PAYEE	11	N	215	225
23.0	FT ACTL PAY TO PROV	11	N	226	236
24.0	FT ACTL PAY TO PAYEE	11	N	237	247
25.0	FT LATE FILING RED	11	N	248	258
26.0	FT AMT PATIENT OWES	11	N	259	269
27.0	FT AMT PATIENT PAID	11	N	270	280
28.0	FILLER	17	X	281	297
29.0	FT PROV ADJUST RECS	6	N	298	303
30.0	FT TOTAL PROV ADJ AMT	11	N	304	314
31.0	FILLER-NATIONAL	6	X	315	320

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-01.0

DATA ELEMENT: Record Identifier "900" (RECORD ID "900")

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 01.0 X(03) LEFT SPACES 01 03 R

DEFINITION: The field used to identify the "File Trailer

Record".

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be "900".

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-02.0

DATA ELEMENT: Payor Identification (PAYOR ID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 02.0 X(10) LEFT SPACES 04 13 R

DEFINITION: A unique number assigned to identify the entity

that generated this file.

CODE VALUES: N/A

VALIDATION: Must be entered.

Must match the "Payor Identification" value

entered in field 100-02.0.

See GENERAL INSTRUCTIONS for "Identification

Number" entry.

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-03.0

DATA ELEMENT: Receiver Identification (RECEIVER ID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 03.0 X(16) LEFT SPACES 14 29 R

DEFINITION: Identifies the organization designated to

receive this file.

CODE VALUES: N/A

VALIDATION: Must be entered.

Must match the "Receiver Identification" value

entered in field 100-03.0.

See GENERAL INSTRUCTIONS for "Identification

Number" entry.

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-04.0

DATA ELEMENT: Reserved (900-04.0)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
04.0	X(09)	LEFT	SPACES	30	38	R

DEFINITION: Reserved, unused record space for expansion

of Receiver ID.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-05.0

DATA ELEMENT: Submitter Identification (SUBMITTER ID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 05.0 X(16) LEFT SPACES 39 54 R

DEFINITION: Identifies the organization that created this

remittance file.

CODE VALUES: N/A

VALIDATION: Must be entered.

Must match the "Submitter Identification" value

entered in field 100-05.0.

See GENERAL INSTRUCTIONS for "Identification

Number" entry.

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-06.0

DATA ELEMENT: Reserved (900-06.0)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
06.0	X(06)	LEFT	SPACES	55	60	R

DEFINITION: Reserved, unused record space for expansion

of Submitter ID.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-07.0

DATA ELEMENT: FT Batches

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
07.0	9(05)	RIGHT	ZEROS	61	65	R

DEFINITION: The number of "200" batch records in this file.

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be numeric.

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-08.0

DATA ELEMENT: FT Patient Records

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
08.0	9(06)	RIGHT	ZEROS	66	71	R

DEFINITION: The total number of "400" claims in this file.

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be numeric.

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-09.0

DATA ELEMENT: FT Submitted Charges

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
09.0	S9(09)V99	RIGHT	ZEROS	72	82	R

DEFINITION: The total submitted charges of the line items

for this file.

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be numeric.

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-10.0

DATA ELEMENT: FT Disallow-Cost Containment

(FT DISALLOW-COST CONT)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
10.0	S9(09)V99	RIGHT	ZEROS	83	93	С

DEFINITION: The total of the line charges for this file

disallowed by the payors due to the failure of either the provider or insured to meet the cost containment provision of the insurance contract, managed care contract or PPO contract under which payment has been requested for the

beneficiaries.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-11.0

DATA ELEMENT: FT Disallow/Noncover

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
11.0	S9(09)V99	RIGHT	ZEROS	94	104	С

DEFINITION: The total of the line charges for this file

disallowed by the payors for reasons other than the failure of the provider or insured to meet the cost containment provisions of the insurance contract, managed care contract or PPO contract

under which payment has been requested.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-12.0

DATA ELEMENT: FT Allowed

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
12.0	S9(09)V99	RIGHT	ZEROS	105	115	С

DEFINITION: The maximum payment amount determined by the

payors as being "allowed" under the provisions of the contract prior to the determination of the

actual payment, for this file.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-13.0

DATA ELEMENT: FT Deductible

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
13.0	S9(09)V99	RIGHT	ZEROS	116	126	С

DEFINITION: This is the amount applied to the deductible

by the payors, for this file.

The amount deducted, by the payors, from the allowed amount in order to meet the contract

"deductible" provisions.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-14.0

DATA ELEMENT: FT Coinsurance

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
14.0	S9(09)V99	RIGHT	ZEROS	127	137	С

DEFINITION: The amount deducted from this file, by the

payors, from the allowed amount in order to meet the "co-insurance" provisions of the contract. The amount applied toward the

coinsurance by the payors.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-15.0

DATA ELEMENT: FT Interest Paid

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
15.0	S9(09)V99	RIGHT	ZEROS	138	148	С

DEFINITION: The total interest applied to this file.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-16.0

DATA ELEMENT: FT Gramm-Rudman Reduction (FT GRAMM-RUDMAN RED)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 16.0 S9(09)V99 RIGHT ZEROS 149 159 C

DEFINITION: The total amount of the Gramm-Rudman reduction,

for this file.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-17.0

DATA ELEMENT: FT Amount Paid Other Payor

(FT AMT PD OTHER PAYOR)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
17.0	S9(09)V99	RIGHT	ZEROS	160	170	С

DEFINITION: The total amount paid by other payors, for this

file.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-18.0

DATA ELEMENT: FT Provider Adjustment (FT PROV ADJUSTMENT)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 18.0 S9(09)V99 RIGHT ZEROS 171 181 C

DEFINITION: The total adjusted amount applied to this file.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-19.0

DATA ELEMENT: FT Calculated Payment to Provider

(FT CALC PAY TO PROV)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
19.0	S9(09)V99	RIGHT	ZEROS	182	192	С

DEFINITION: The calculated total payments to the provider(s),

for this file.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-20.0

DATA ELEMENT: FT Calculated Payment to Payee

(FT CALC PAY TO PAYEE)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
20.0	S9(09)V99	RIGHT	ZEROS	193	203	С

DEFINITION: The total calculated payments to the payees

(other than the provider[s]), for this file.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-21.0

DATA ELEMENT: FT Previous Payment to Provider

(FT PREV PAY TO PROV)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
21.0	S9(09)V99	RIGHT	ZEROS	204	214	С

DEFINITION: The total amount previously paid to the

provider(s), for this file.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-22.0

DATA ELEMENT: FT Previous Payment to Payee

(FT PREV PAY TO PAYEE)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
22.0	S9(09)V99	RIGHT	ZEROS	215	225	С

The total amount previously paid to payees (other than the provider[s]), for this file. DEFINITION:

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-23.0

DATA ELEMENT: FT Actual Payment to Provider

(FT ACTL PAY TO PROV)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
23.0	S9(09)V99	RIGHT	ZEROS	226	236	С

DEFINITION: The total amount actually paid to the

provider(s), for this file.

CODE VALUES: N/A

VALIDATION: This is the computed sum of all the "BT Actual

Payment to Provider" (800-22.0) fields in this

file.

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-24.0

DATA ELEMENT: FT Actual Payment to Payee

(FT ACTL PAY TO PAYEE)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
24.0	S9(09)V99	RIGHT	ZEROS	237	247	С

DEFINITION: The total amount actually paid to payees (other

than the provider[s]), for this file.

CODE VALUES: N/A

VALIDATION: This is the computed sum of all the "BT Actual

Payment to Payee" (800-23.0) fields in this file.

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-25.0

DATA ELEMENT: FT Late Filing Reduction (FT LATE FILING RED)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 25.0 S9(09)V99 RIGHT ZEROS 248 258 C

DEFINITION: The total amount applied to the Late Filing

Reduction, for this file.

CODE VALUES: N/A

VALIDATION: This is the computed sum of all the "BT Late

Filing Reduction" (800-24.0) fields in this

file.

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-26.0

DATA ELEMENT: FT Amount Patient Owes (FT AMT PATIENT OWES)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 26.0 S9(09)V99 RIGHT ZEROS 259 269 C

DEFINITION: The total amount of charges that is patient

financial responsibility, for this file.

CODE VALUES: N/A

VALIDATION: This is the computed sum of all the "BT Amount

Patient Owes" (800-25.0) fields in this file.

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-27.0

DATA ELEMENT: FT Amount Patient Paid (FT AMT PATIENT PAID)

FIELD COBOL PICTURE JUSTIFY INITIAL FROM THRU REQ
---- 27.0 S9(09)V99 RIGHT ZEROS 270 280 C

DEFINITION: The total amount the patient paid, for this file.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-28.0

DATAELEMENT: Filler

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
28.0	X(17)	LEFT	SPACES	281	297	R

DEFINITION: Unused record space reserved for National Use.

CODE VALUES: N/A

VALIDATION: N/A

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-29.0

DATA ELEMENT: FT Provider Adjustment Records

(FT PROV ADJUST RECS)

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
29.0	X(06)	RIGHT	ZEROES	298	303	R

DEFINITION: The number of "700" provider adjustment records

in this file.

CODE VALUES: N/A

VALIDATION: Must be entered.

Must be numeric.

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-30.0

DATA ELEMENT: FT Total Provider Adjustment Amount

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
30.0	S9(09)V99	RIGHT	ZEROS	304	314	С

DEFINITION: The total provider adjustment amount not related to

specific service or claim, for this file.

CODE VALUES: N/A

VALIDATION: This is the computed sum of all the "BT Total Provider

Adjustment Amount" (800-28.0) fields in this file.

RECORD NAME: FILE TRAILER RECORD RECORD/FIELD: 900-31.0

DATA ELEMENT: Filler-National

FIELD	COBOL PICTURE	JUSTIFY	INITIAL	FROM	THRU	REQ
31.0	X(06)	LEFT	SPACES	315	320	R

DEFINITION: Unused record space reserved for National use.

CODE VALUES: N/A

VALIDATION: N/A

END OF REMITTANCE